


Uponor Wipex jointing equal PN6 50x4,6-50x4,6

1042984

- Connection of PE-Xa or PE pipe
- 6bar, SDR 11
- DR = dezincification resistance brass



Application information Uponor Wipex jointing equal PN6

Specification

- Wipex fittings in corrosion-resistant brass, dezincification based on EN ISO 6509 with stainless steel screw.
- O-ring sealing between Wipex coupling and base fitting connectors
- Bolt set for couplers include a hex socket bolt in stainless steel and the nut as well as washer from brass
- Pre-open sleeve design with assembled support part for the dimension 63-110mm.

Application


- Fittings for pipe systems Thermo, Aqua, Quattro, Supra, Supra PLUS and Supra Standard
- Connection of PE and PE-Xa medium pipe to couplers with cylindrical inch male thread
- Max. operating temperature 95°C

Certification

- Approvals should be checked by local responsible person

Uponor Wipex jointing equal PN6 50x4,6-50x4,6

1042984



Product code

Item no EAN	7331541200820
Item no GF	35001042984
Item no GTIN	07331541200820
Item no LVI	1932104
Item no NOBB	42496504
Item no NRF	8360794
Item no RSK	2410696
Item no VVS	087882050

Dimensions

Item Unit Height	88
Item Unit Length	77
Item Unit Weight	0,938
Item Unit Width	57
Item_UOM	pce

Measurements

LENGTH_L	85
Length (l1)	36
Length (l2)	36
Wall thickness_s	4,6
z1	13

Packaging

Packaging GTIN PL1	06414905400140
Packaging GTIN PL3	06414905400157
Packaging GTIN PL4	06414905400164
Packaging Height PL1	90
Packaging Height PL3	140
Packaging Height PL4	700

Packaging Length PL1	79
Packaging Length PL3	248
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL3	10
Packaging Quantity PL4	600
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00041949
Packaging Volume PL3	0,00479136
Packaging Volume PL4	0,672
Packaging Weight PL1	0,942
Packaging Weight PL3	9,475
Packaging Weight PL4	587,8
Packaging Width PL1	59
Packaging Width PL3	138
Packaging Width PL4	800

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com