


Uponor Wipex jointing equal PN6 75x6,8-75x6,8

1042985

- Connection of PE-Xa or PE pipe
- 6bar, SDR 11
- DR = dezincification resistance brass



Application information Uponor Wipex jointing equal PN6

Specification

- Wipex fittings in corrosion-resistant brass, dezincification based on EN ISO 6509 with stainless steel screw.
- O-ring sealing between Wipex coupling and base fitting connectors
- Bolt set for couplers include a hex socket bolt in stainless steel and the nut as well as washer from brass
- Pre-open sleeve design with assembled support part for the dimension 63-110mm.

Application


- Fittings for pipe systems Thermo, Aqua, Quattro, Supra, Supra PLUS and Supra Standard
- Connection of PE and PE-Xa medium pipe to couplers with cylindrical inch male thread
- Max. operating temperature 95°C

Certification

- Approvals should be checked by local responsible person

Uponor Wipex jointing equal PN6 75x6,8-75x6,8

1042985



Product code

Item no EAN	7331541200837
Item no GF	35001042985
Item no GTIN	07331541200837
Item no LVI	1932106
Item no NOBB	42496595
Item no NRF	8360796
Item no RSK	2410698
Item no VVS	087882075

Dimensions

Item Unit Height	100
Item Unit Length	125
Item Unit Weight	2,331
Item Unit Width	100
Item_UOM	pce

Measurements

LENGTH_L	123
Length (l1)	50,5
Length (l2)	50,5
Wall thickness_s	6,8
z1	22

Packaging

Packaging GTIN PL1	06414905400171
Packaging GTIN PL3	06414905400188
Packaging GTIN PL4	06414905400195
Packaging Height PL1	103
Packaging Height PL3	115
Packaging Height PL4	640

Packaging Length PL1	128
Packaging Length PL3	355
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL3	3
Packaging Quantity PL4	240
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,001357952
Packaging Volume PL3	0,0106145
Packaging Volume PL4	0,6144
Packaging Weight PL1	2,346
Packaging Weight PL3	7,215
Packaging Weight PL4	584,44
Packaging Width PL1	103
Packaging Width PL3	260
Packaging Width PL4	800

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com