


## Uponor Wipex jointing equal PN6 110x10-110x10

**1042987**

- Connection of PE-Xa or PE pipe
- 6bar, SDR 11
- DR = dezincification resistance brass



### Application information Uponor Wipex jointing equal PN6

#### Specification

- Wipex fittings in corrosion-resistant brass, dezincification based on EN ISO 6509 with stainless steel screw.
- O-ring sealing between Wipex coupling and base fitting connectors
- Bolt set for couplers include a hex socket bolt in stainless steel and the nut as well as washer from brass
- Pre-open sleeve design with assembled support part for the dimension 63-110mm.

#### Application


- Fittings for pipe systems Thermo, Aqua, Quattro, Supra, Supra PLUS and Supra Standard
- Connection of PE and PE-Xa medium pipe to couplers with cylindrical inch male thread
- Max. operating temperature 95°C

#### Certification

- Approvals should be checked by local responsible person

## Uponor Wipex jointing equal PN6 110x10-110x10

1042987



### Product code

Item no EAN	7331541200851
Item no GF	35001042987
Item no GTIN	07331541200851
Item no LVI	1932108
Item no NOBB	42496652
Item no NRF	8360798
Item no RSK	2410700
Item no VVS	087882110

### Dimensions

Item Unit Height	140
Item Unit Length	167
Item Unit Weight	4,925
Item Unit Width	120
Item_UOM	pce

### Measurements

LENGTH_L	166
Length (l1)	71
Length (l2)	71
Wall thickness_s	10,0
z1	24

### Packaging

Packaging GTIN PL1	06414905400232
Packaging GTIN PL3	06414905400249
Packaging GTIN PL4	06414905400256
Packaging Height PL1	142
Packaging Height PL3	145
Packaging Height PL4	700

Packaging Length PL1	169
Packaging Length PL3	268
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL3	2
Packaging Quantity PL4	120
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,002927756
Packaging Volume PL3	0,009715
Packaging Volume PL4	0,672
Packaging Weight PL1	5,097
Packaging Weight PL3	10,196
Packaging Weight PL4	618
Packaging Width PL1	122
Packaging Width PL3	250
Packaging Width PL4	800

## Documents

Page with all documents



### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

[www.uponor.com](http://www.uponor.com)