

Uponor Wipex swivel union G1 1/4-G1

1045456

- Rotatable double nipple
- Cylindric thread G" for O-ring sealing
- 6 bar, SDR 11 / 10 bar, SDR 7,4
- DR = dezincification resistance brass



Application information Uponor Wipex swivel union

Specification

- Wipex fittings in corrosion-resistant brass, dezincification based on EN ISO 6509 with stainless steel screw.
- O-ring sealing between Wipex coupling and base fitting connectors
- Bolt set for couplers include a hex socket bolt in stainless steel and the nut as well as washer from brass
- Pre-open sleeve design with assembled support part for the dimension 63-110mm.

Application

- Fittings for pipe systems Thermo, Aqua, Quattro, Supra, Supra PLUS and Supra Standard
- Connection of PE and PE-Xa medium pipe to couplers with cylindrical inch male thread
- Max. operating temperature 95°C

Certification

- Approvals should be checked by local responsible person

Uponor Wipex swivel union G1 1/4-G1

1045456

**Measurements**

Cylindric_thread_G	1
Cylindric_thread_G1	1 1/4
LENGTH_L	49,7
Length (l1)	12
Length (l2)	20,7
z1	17

Product code

Item no EAN	7331541201766
Item no GF	35001045456
Item no GTIN	07331541201766
Item no LVI	1937001
Item no NRF	8360802
Item no RSK	2410702
Item no VVS	087534151

Dimensions

Item Unit Height	52
Item Unit Length	55
Item Unit Weight	0,33
Item Unit Width	52
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905459506
Packaging GTIN PL3	06414905448289
Packaging GTIN PL4	06414905492732
Packaging Height PL1	54
Packaging Height PL3	150
Packaging Height PL4	700

Packaging Length PL1	57
Packaging Length PL3	270
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL3	20
Packaging Quantity PL4	1200
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,000166212
Packaging Volume PL3	0,0103275
Packaging Volume PL4	0,672
Packaging Weight PL1	0,34
Packaging Weight PL3	7,1
Packaging Weight PL4	421
Packaging Width PL1	54
Packaging Width PL3	255
Packaging Width PL4	800

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com