


Uponor Wipex swivel union G1 1/4

1045457

- Rotatable double nipple
- Cylindric thread G" for O-ring sealing
- 6 bar, SDR 11 / 10 bar, SDR 7,4
- DR = dezincification resistance brass



Application information Uponor Wipex swivel union

Specification

- Wipex fittings in corrosion-resistant brass, dezincification based on EN ISO 6509 with stainless steel screw.
- O-ring sealing between Wipex coupling and base fitting connectors
- Bolt set for couplers include a hex socket bolt in stainless steel and the nut as well as washer from brass
- Pre-open sleeve design with assembled support part for the dimension 63-110mm.

Application


- Fittings for pipe systems Thermo, Aqua, Quattro, Supra, Supra PLUS and Supra Standard
- Connection of PE and PE-Xa medium pipe to couplers with cylindrical inch male thread
- Max. operating temperature 95°C

Certification

- Approvals should be checked by local responsible person

Uponor Wipex swivel union G1 1/4

1045457



Measurements

Cylindric_thread_G	1 1/4
Cylindric_thread_G1	1 1/4
LENGTH_L	58,3
Length (l1)	16
Length (l2)	21
z1	21,3

Product code

Item no EAN	7331541201773
Item no GF	35001045457
Item no GTIN	07331541201773
Item no LVI	1937002
Item no NRF	8360803
Item no RSK	2410703
Item no VVS	087534010

Dimensions

Item Unit Height	60
Item Unit Length	50
Item Unit Weight	0,476
Item Unit Width	50
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905459513
Packaging GTIN PL3	06414905448296
Packaging GTIN PL4	06414905492749
Packaging Height PL1	62
Packaging Height PL3	145
Packaging Height PL4	700

Packaging Length PL1	52
Packaging Length PL3	272
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL3	15
Packaging Quantity PL4	900
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,000167648
Packaging Volume PL3	0,0100572
Packaging Volume PL4	0,672
Packaging Weight PL1	0,481
Packaging Weight PL3	7,392
Packaging Weight PL4	453,4
Packaging Width PL1	52
Packaging Width PL3	255
Packaging Width PL4	800

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com