


Uponor Wipex swivel union G2-G1 1/4

1045458

- Rotatable double nipple
- Cylindric thread G" for O-ring sealing
- 6 bar, SDR 11 / 10 bar, SDR 7,4
- DR = dezincification resistance brass



Application information Uponor Wipex swivel union

Specification

- Wipex fittings in corrosion-resistant brass, dezincification based on EN ISO 6509 with stainless steel screw.
- O-ring sealing between Wipex coupling and base fitting connectors
- Bolt set for couplers include a hex socket bolt in stainless steel and the nut as well as washer from brass
- Pre-open sleeve design with assembled support part for the dimension 63-110mm.

Application


- Fittings for pipe systems Thermo, Aqua, Quattro, Supra, Supra PLUS and Supra Standard
- Connection of PE and PE-Xa medium pipe to couplers with cylindrical inch male thread
- Max. operating temperature 95°C

Certification

- Approvals should be checked by local responsible person

Uponor Wipex swivel union G2-G1 1/4

1045458



Measurements

Cylindric_thread_G	2
Cylindric_thread_G1	1 1/4
LENGTH_L	67,8
Length (l1)	16
Length (l2)	24,8
z1	27

Product code

Item no EAN	7331541201780
Item no GF	35001045458
Item no GTIN	07331541201780
Item no LVI	1937003
Item no NRF	8360804
Item no RSK	2410704
Item no VVS	087534166

Dimensions

Item Unit Height	69
Item Unit Length	75
Item Unit Weight	1,023
Item Unit Width	75
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905459520
Packaging GTIN PL3	06414905448302
Packaging GTIN PL4	06414905492756
Packaging Height PL1	71
Packaging Height PL3	145
Packaging Height PL4	700

Packaging Length PL1	77
Packaging Length PL3	272
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL3	10
Packaging Quantity PL4	600
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,000420959
Packaging Volume PL3	0,0100572
Packaging Volume PL4	0,672
Packaging Weight PL1	1,027
Packaging Weight PL3	10,496
Packaging Weight PL4	638,8
Packaging Width PL1	77
Packaging Width PL3	255
Packaging Width PL4	800

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com