Product data sheet




GF Uponor Q&E ring with stop edge, natural 63

1045490

- With stop edge
- Pex material





Application information GF Uponor Q&E ring with stop edge, natural

Specification


- Q&E fittings and rings for Uponor Pex pipes
- Metal fittings are made of high quality brass
- Plastic fittings are made of polyphenilsulphone
- Q&E rings must be ordered separately if not different mentioned

Application

if not different mentioned:
- Male and female threads acc.to EN 10226-1.

GF Uponor Q&E ring with stop edge, natural 63

1045490



Measurements

Inner_diameter_di	64,3
LENGTH_L	63
Outer Diameter_do	75,7
Z	4,2

Product code

Item no EAN	7321500048570
Item no GF	35001045490
Item no GTIN	07321500048570
Item no LVI	2072960
Item no NRF	5111061
Item no RSK	1882249
Item no VVS	045338263

Dimensions

Item Unit Height	63
Item Unit Length	75
Item Unit Weight	0,07
Item Unit Width	75
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905400485
Packaging GTIN PL3	06414905400492
Packaging GTIN PL4	06414905400508
Packaging Height PL1	80
Packaging Height PL3	294
Packaging Height PL4	984

Packaging Length PL1	210
Packaging Length PL3	255
Packaging Length PL4	1200
Packaging Quantity PL1	5
Packaging Quantity PL3	35
Packaging Quantity PL4	1260
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,002268
Packaging Volume PL3	0,02136645
Packaging Volume PL4	0,94464
Packaging Weight PL1	0,38
Packaging Weight PL3	2,95
Packaging Weight PL4	113,2
Packaging Width PL1	135
Packaging Width PL3	285
Packaging Width PL4	800

Documents

Page with all documents

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E communications@georgfischer.com

www.uponor.com

+GF+