


## Uponor S-Press elbow 45° PPSU 40-40

**1046388**

- Fast installation with easy bevel and without calibration
- Colour code



### Application information Uponor S-Press elbow 45° PPSU

#### Specification

- with fixed press sleeve
- stop ring
- test safety

#### Application

- Tap water: The permanent operating temperature ranges from 0°C to 70°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 95°C for a period of 100 hours in the operating life time.
- Heating: The permanent operating temperature ranges up to 80°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 100°C for a period of 100 hours in the operating life time.

- if not different mentioned:


Male and female threads acc.to EN 10226-1.

#### Certification

- Approvals by local OM.
- E.g.
- DVGW
- AENOR

## Uponor S-Press elbow 45° PPSU 40-40

1046388



### Product code

|              |                |
|--------------|----------------|
| Item no EAN  | 4021598112629  |
| Item no GF   | 35001046388    |
| Item no GTIN | 04021598112629 |
| Item no LVI  | 1721056        |
| Item no NOBB | 48505478       |
| Item no NRF  | 5071977        |
| Item no RSK  | 1877962        |
| Item no VVS  | 087433140      |

### Dimensions

|                  |       |
|------------------|-------|
| Item Unit Height | 47    |
| Item Unit Length | 64    |
| Item Unit Weight | 0,123 |
| Item Unit Width  | 64    |
| Item_UOM         | pce   |

### Measurements

|             |      |
|-------------|------|
| Length (l1) | 55,6 |
| Length (l2) | 55,6 |
| z1          | 16,6 |
| Z2          | 16,6 |

### Packaging

|                        |                |
|------------------------|----------------|
| Packaging GTIN PL1     | 06414905287536 |
| Packaging GTIN PL4     | 06414905287543 |
| Packaging Height PL1   | 89             |
| Packaging Height PL4   | 570            |
| Packaging Length PL1   | 176            |
| Packaging Length PL4   | 1120           |
| Packaging Quantity PL1 | 5              |

|                        |            |
|------------------------|------------|
| Packaging Quantity PL4 | 960        |
| Packaging Type PL1     | Base_Box   |
| Packaging Type PL4     | Pallet     |
| Packaging Volume PL1   | 0,00211464 |
| Packaging Volume PL4   | 0,4775232  |
| Packaging Weight PL1   | 0,654      |
| Packaging Weight PL4   | 132,538    |
| Packaging Width PL1    | 135        |
| Packaging Width PL4    | 748        |

## Documents

Page with all documents



### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211  
E  
communications@georgfischer.  
com