


Uponor S-Press adapter female thread 50-Rp1 1/2"FT

1046907

- Made of tin-plated brass
- Fast installation with easy bevel and without calibration
- Colour code



Application information Uponor S-Press adapter female thread

Specification

- with fixed press sleeve
- stop ring
- test safety

Application

- Tap water: The permanent operating temperature ranges from 0°C to 70°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 95°C for a period of 100 hours in the operating life time.
- Heating: The permanent operating temperature ranges up to 80°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 100°C for a period of 100 hours in the operating life time.

- if not different mentioned:


Male and female threads acc.to EN 10226-1.

Certification

- Approvals by local OM.
E.g.
 - DVGW
 - AENOR

Uponor S-Press adapter female thread 50-Rp1 1/2"FT

1046907



Measurements

| | |
|------------------|-------|
| Female thread Rp | 1 1/2 |
| LENGTH_L | 72,5 |
| Length (l1) | 21,4 |
| Length (l2) | 37,5 |
| z1 | 13,6 |

Product code

| | |
|--------------|----------------|
| Item no EAN | 4021598114043 |
| Item no GF | 35001046907 |
| Item no GTIN | 04021598114043 |
| Item no NOBB | 48505338 |
| Item no NRF | 5071554 |
| Item no VVS | 045482445 |

Dimensions

| | |
|------------------|-------|
| Item Unit Height | 55 |
| Item Unit Length | 72.5 |
| Item Unit Weight | 0,369 |
| Item Unit Width | 55 |
| Item_UOM | pce |

Packaging

| | |
|------------------------|----------------|
| Packaging GTIN PL1 | 06414905481088 |
| Packaging GTIN PL4 | 06414905481095 |
| Packaging Height PL1 | 90 |
| Packaging Height PL4 | 570 |
| Packaging Length PL1 | 70 |
| Packaging Length PL4 | 1120 |
| Packaging Quantity PL1 | 3 |
| Packaging Quantity PL4 | 1152 |

| | |
|----------------------|-----------|
| Packaging Type PL1 | Base_Box |
| Packaging Type PL4 | Pallet |
| Packaging Volume PL1 | 0,0011025 |
| Packaging Volume PL4 | 0,4775232 |
| Packaging Weight PL1 | 1,169 |
| Packaging Weight PL4 | 433,233 |
| Packaging Width PL1 | 175 |
| Packaging Width PL4 | 748 |

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com