

Uponor S-Press elbow female thread 50-Rp1 1/2"FT

1046912

- Made of tin-plated brass
- Fast installation with easy bevel and without calibration
- Colour code



Application information Uponor S-Press elbow female thread

Specification

- with fixed press sleeve
- stop ring
- test safety

Application

- Tap water: The permanent operating temperature ranges from 0°C to 70°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 95°C for a period of 100 hours in the operating life time.
- Heating: The permanent operating temperature ranges up to 80°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 100°C for a period of 100 hours in the operating life time.
- if not different mentioned:
Male and female threads acc.to EN 10226-1.

Certification

- Approvals by local OM.
E.g.
 - DVGW
 - AENOR

Uponor S-Press elbow female thread 50-Rp1 1/2"FT

1046912



Measurements

| | |
|------------------|------|
| Female thread Rp | 1,5 |
| Length (l1) | 59 |
| Length (l2) | 78,5 |
| z1 | 37,6 |
| Z2 | 40,8 |

Product code

| | |
|--------------|----------------|
| Item no EAN | 4021598114098 |
| Item no GF | 35001046912 |
| Item no GTIN | 04021598114098 |
| Item no VVS | 045472445 |

Dimensions

| | |
|------------------|------|
| Item Unit Height | 85 |
| Item Unit Length | 105 |
| Item Unit Weight | 0,64 |
| Item Unit Width | 53 |
| Item_UOM | pce |

Packaging

| | |
|------------------------|----------------|
| Packaging GTIN PL1 | 06414905460571 |
| Packaging GTIN PL4 | 06414905555284 |
| Packaging Height PL1 | 105 |
| Packaging Height PL4 | 645 |
| Packaging Length PL1 | 176 |
| Packaging Length PL4 | 800 |
| Packaging Quantity PL1 | 3 |
| Packaging Quantity PL4 | 300 |
| Packaging Type PL1 | Base_Box |
| Packaging Type PL4 | Pallet |

| | |
|----------------------|------------|
| Packaging Volume PL1 | 0,00373296 |
| Packaging Volume PL4 | 0,6192 |
| Packaging Weight PL1 | 1,954 |
| Packaging Weight PL4 | 215,4 |
| Packaging Width PL1 | 202 |
| Packaging Width PL4 | 1200 |

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com