


## Uponor S-Press tee reducer 50-25-40

**1046924**

- Made of tin-plated brass
- Fast installation with easy bevel and without calibration
- Colour code



### Application information Uponor S-Press tee reducer

#### Specification

- with fixed press sleeve
- stop ring
- test safety

#### Application


- Tap water: The permanent operating temperature ranges from 0°C to 70°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 95°C for a period of 100 hours in the operating life time.
- Heating: The permanent operating temperature ranges up to 80°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 100°C for a period of 100 hours in the operating life time.
- if not different mentioned:  
Male and female threads acc.to EN 10226-1.

#### Certification

- Approvals by local OM.  
E.g.
  - DVGW
  - AENOR

## Uponor S-Press tee reducer 50-25-40

1046924



### Status

Item Available Till date

2026-12-31T00:00:00.000+0100

### Product code

Item no EAN 4021598114210

Item no GF 35001046924

Item no GTIN 04021598114210

Item no VVS 045476436

### Dimensions

Item Unit Height 44

Item Unit Length 122

Item Unit Weight 0,615

Item Unit Width 93

Item\_UOM pce

### Measurements

Length (l1) 61

Length (l2) 65

Length (l3) 61

z1 23,1

Z2 34,7

Z3 23,1

### Packaging

Packaging GTIN PL1 06414905460656

Packaging GTIN PL4 06414905555345

Packaging Height PL1 105

Packaging Height PL4 645

Packaging Length PL1 176

Packaging Length PL4 800

Packaging Quantity PL1 3

|                        |            |
|------------------------|------------|
| Packaging Quantity PL4 | 300        |
| Packaging Type PL1     | Base_Box   |
| Packaging Type PL4     | Pallet     |
| Packaging Volume PL1   | 0,00373296 |
| Packaging Volume PL4   | 0,6192     |
| Packaging Weight PL1   | 1,906      |
| Packaging Weight PL4   | 210,6      |
| Packaging Width PL1    | 202        |
| Packaging Width PL4    | 1200       |

## Documents

Page with all documents 

### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

[www.uponor.com](http://www.uponor.com)