
# Product data sheet



# GF Uponor S-Press tee reducer 50-25-40

## 1046924

- Made of tin-plated DR brass (lead-free)
- Fast installation with easy bevel and without calibration
- Colour code



## Application information GF Uponor S-Press tee reducer

### Specification

- with fixed press sleeve
- stop ring
- test safety

### Application

- Tap water: The permanent operating temperature ranges from 0°C to 70°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 95°C for a period of 100 hours in the operating life time.

- Heating: The permanent operating temperature ranges up to 80°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 100°C for a period of 100 hours in the operating life time.


- if not different mentioned:
Male and female threads acc.to EN 10226-1.

### Certification

- Approvals by local OM.
E.g.
- DVGW
- AENOR

# GF Uponor S-Press tee reducer 50-25-40

## 1046924



### Status

| | |
|---|---|
| Item Available Till date | 2026-12-31T00:00:00.000+0100 |

### Product code

| | |
|---|---|
| Item no EAN | 4021598114210 |
| Item no GF | 35001046924 |
| Item no GTIN | 04021598114210 |
| Item no VVS | 045476436 |

### Dimensions

| | |
|---|---|
| Item Unit Height | 44 |
| Item Unit Length | 122 |
| Item Unit Weight | 0,615 |
| Item Unit Width | 93 |
| Item_UOM | pce |

### Measurements

| | |
|---|---|
| Length (l1) | 61 |
| Length (l2) | 65 |
| Length (l3) | 61 |
| z1 | 23,1 |
| Z2 | 34,7 |
| Z3 | 23,1 |

### Packaging

| | |
|---|---|
| Packaging GTIN PL1 | 06414905460656 |
| Packaging GTIN PL4 | 06414905555345 |
| Packaging Height PL1 | 105 |
| Packaging Height PL4 | 645 |
| Packaging Length PL1 | 176 |

| | |
|---|---|
| Packaging Length PL4 | 800 |
| Packaging Quantity PL1 | 3 |
| Packaging Quantity PL4 | 300 |
| Packaging Type PL1 | Base_Box |
| Packaging Type PL4 | Pallet |
| Packaging Volume PL1 | 0,00373296 |
| Packaging Volume PL4 | 0,6192 |
| Packaging Weight PL1 | 1,906 |
| Packaging Weight PL4 | 210,6 |
| Packaging Width PL1 | 202 |
| Packaging Width PL4 | 1200 |

## Documents

Page with all documents

# Excellence in Flow

Visit our webpage to get in contact with your local specialist:
**www.georgfischer.com/locations**



**Uponor Corporation**

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E communications@georgfischer.com

www.uponor.com

+GF+