


## Uponor S-Press tee female thread 50-Rp1"FT-50

**1046929**

- Made of tin-plated brass
- Fast installation with easy bevel and without calibration
- Colour code



### Application information Uponor S-Press tee female thread

#### Specification

- with fixed press sleeve
- stop ring
- test safety

#### Application

- Tap water: The permanent operating temperature ranges from 0°C to 70°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 95°C for a period of 100 hours in the operating life time.
- Heating: The permanent operating temperature ranges up to 80°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 100°C for a period of 100 hours in the operating life time.

- if not different mentioned:


Male and female threads acc.to EN 10226-1.

#### Certification

- Approvals by local OM.
- E.g.
- DVGW
  - AENOR

## Uponor S-Press tee female thread 50-Rp1"FT-50

1046929



### Measurements

|                  |      |
|------------------|------|
| Female thread Rp | 1    |
| Length (l1)      | 71,5 |
| Length (l2)      | 56   |
| Length (l3)      | 71,5 |
| z1               | 33,6 |
| Z2               | 36,9 |
| Z3               | 33,6 |

### Product code

|              |                |
|--------------|----------------|
| Item no EAN  | 4021598114265  |
| Item no GF   | 35001046929    |
| Item no GTIN | 04021598114265 |
| Item no VVS  | 045478437      |

### Dimensions

|                  |       |
|------------------|-------|
| Item Unit Height | 50    |
| Item Unit Length | 145   |
| Item Unit Weight | 0,771 |
| Item Unit Width  | 90    |
| Item_UOM         | pce   |

### Packaging

|                        |                |
|------------------------|----------------|
| Packaging GTIN PL1     | 06414905401659 |
| Packaging GTIN PL4     | 06414905401666 |
| Packaging Height PL1   | 110            |
| Packaging Height PL4   | 584            |
| Packaging Length PL1   | 205            |
| Packaging Length PL4   | 1200           |
| Packaging Quantity PL1 | 3              |
| Packaging Quantity PL4 | 240            |

|                      |          |
|----------------------|----------|
| Packaging Type PL1   | Base_Box |
| Packaging Type PL4   | Pallet   |
| Packaging Volume PL1 | 0,004059 |
| Packaging Volume PL4 | 0,56064  |
| Packaging Weight PL1 | 2,408    |
| Packaging Weight PL4 | 192,64   |
| Packaging Width PL1  | 180      |
| Packaging Width PL4  | 800      |

## Documents

Page with all documents



### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

[www.uponor.com](http://www.uponor.com)