
Product data sheet



GF Uponor Q&E manifold PL MT/FT 3/4" 3x20 c/c40

1047925

- Made of DR brass (lead-free)



Application information GF Uponor Q&E manifold PL MT/FT

Specification


- Q&E fittings and rings for Uponor Pex pipes
- Metal fittings are made of high quality brass
- Plastic fittings are made of polyphenilsulphone
- Q&E rings must be ordered separately if not different mentioned

Application

if not different mentioned:
- Male and female threads acc.to EN 10226-1.

GF Uponor Q&E manifold PL MT/FT 3/4" 3x20 c/c40

1047925



Measurements

Cylindric_thread_G	0,75
Female thread Rp	0,75
LENGTH_L	133,5
Length (l1)	27
Length (l2)	26,5
Length (l3)	39
Z Measurement b	40
z1	15
Z2	12

Product code

Item no EAN	4021598118003
Item no GF	35001047925
Item no GTIN	04021598118003

Dimensions

Item Unit Height	32
Item Unit Length	135
Item Unit Weight	0,29
Item Unit Width	58
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905461264
Packaging GTIN PL3	06414905448791
Packaging GTIN PL4	06414905493951
Packaging Height PL1	32
Packaging Height PL3	140

Packaging Height PL4	684
Packaging Length PL1	135
Packaging Length PL3	250
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL3	15
Packaging Quantity PL4	1440
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00025056
Packaging Volume PL3	0,004725
Packaging Volume PL4	0,65664
Packaging Weight PL1	0,294
Packaging Weight PL3	4,59
Packaging Weight PL4	465,64
Packaging Width PL1	58
Packaging Width PL3	135
Packaging Width PL4	800

Documents

Page with all documents

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E communications@georgfischer.com

www.uponor.com

+GF+