


Uponor Aqua PLUS adapter male thread PPM 1" G3/4"MT

1048002

- for PPM manifolds



Application information Uponor Aqua PLUS adapter male thread PPM

Specification


- Watertight cabinets according to NT VVS 129
- For manifolds with c/c 50 mm
- For M7 cabinet sleeves
- Includes cabinet, splash covers and accessories kit with manifold clips
- Doors and frames (if needed) should be ordered separately
- RAL 9010
- Plastic manifolds for installation in Watertight cabinets
- Manifolds and accessories can be used separately
- In case of use of manifolds without cabinets, system watertightness according to NT VVS 129 cannot be guaranteed
- Metal fittings are made of high quality brass
- Plastic fittings are made of polyphenilsulphone
- PPM manifolds with bayonet threads

Application

- Watertight installations to prevent from damages in case of leakage
- All types of manifold installations

Uponor Aqua PLUS adapter male thread PPM 1" G3/4"MT

1048002



Measurements

Cylindric_thread_G	3/4
LENGTH_L	48,5
Length (l1)	16,5
Length (l2)	15
z1	17

Product code

Item no EAN	6414905201044
Item no GF	35001048002
Item no GTIN	06414905201044
Item no LVI	2072124
Item no NRF	5110726
Item no RSK	1878138
Item no VVS	087607808

Dimensions

Item Unit Height	42
Item Unit Length	50
Item Unit Weight	0,029
Item Unit Width	42
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905404889
Packaging GTIN PL3	06414905404896
Packaging GTIN PL4	06414905404902
Packaging Height PL1	43
Packaging Height PL3	107
Packaging Height PL4	749
Packaging Length PL1	52

Packaging Length PL3	280
Packaging Length PL4	1120
Packaging Quantity PL1	1
Packaging Quantity PL3	20
Packaging Quantity PL4	2240
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,000096148
Packaging Volume PL3	0,00560252
Packaging Volume PL4	0,62748224
Packaging Weight PL1	0,032
Packaging Weight PL3	0,74
Packaging Weight PL4	107,88
Packaging Width PL1	43
Packaging Width PL3	187
Packaging Width PL4	748

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

E
communications@georgfischer.
com