
Product data sheet



GF Uponor Q&E manifold w. valve PL SH MT/FT 1" 4x16 c/c38

1048522

- Made of DR brass (lead-free)



Application information GF Uponor Q&E manifold w. valve PL SH MT/FT

Specification


- Q&E fittings and rings for Uponor Pex pipes
- Metal fittings are made of high quality brass
- Plastic fittings are made of polyphenilsulphone
- Q&E rings must be ordered separately if not different mentioned

Application

if not different mentioned:
- Male and female threads acc.to EN 10226-1.

GF Uponor Q&E manifold w. valve PL SH MT/FT 1" 4x16 c/c38

1048522



Measurements

Cylindric_thread_G	1
Cylindric_thread_G1	1
LENGTH_L	168,5
Length (l1)	158
Length (l2)	27
Length (l3)	44
Z Measurement b	38
Z Measurement h	64

Product code

Item no EAN	4021598118669
Item no GF	35001048522
Item no GTIN	04021598118669

Dimensions

Item Unit Height	67
Item Unit Length	170
Item Unit Weight	0,75
Item Unit Width	70
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905429424
Packaging GTIN PL3	06414905429431
Packaging GTIN PL4	06414905429448
Packaging Height PL1	96
Packaging Height PL3	410
Packaging Height PL4	1400

Packaging Length PL1	188
Packaging Length PL3	390
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL3	24
Packaging Quantity PL4	960
Packaging Type PL1	Base_Box
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00162432
Packaging Volume PL3	0,04797
Packaging Volume PL4	1,344
Packaging Weight PL1	0,8
Packaging Weight PL3	19,81
Packaging Weight PL4	759,472
Packaging Width PL1	90
Packaging Width PL3	300
Packaging Width PL4	800

Documents

Page with all documents

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E communications@georgfischer.com

www.uponor.com

+GF+