


Uponor Smart Aqua single mounting angle

1057843

- Made of galvanized steel.
- For the installation of Uponor Smart Aqua tap elbows.
- Positioning of the connections in the given raster.
- Screws M6x12 acc. DIN 965 included. With holes and slots for easy attachment



Application information Uponor Smart Aqua single mounting angle

Specification

- Suitable for potable water installations using multilayer composite pipes (Uni Pipe & Uni Pipe PLUS)
- Components available in tin-plated brass, PPSU, galvanized steel, and aluminium sleeve versions
- Elbows for tap connection
- Mounted on walls, floors or installation frames with precise raster positioning
- Compatible with S-Press / S-Press PLUS and Q&E jointing technologies

if not different mentioned:


- Male and female threads acc.to EN 10226-1.
- Q&E rings must be ordered separately

Application

- Creating stable and accurately positioned tap water connection points (basins, showers, appliances)
- Preparing on-wall or in-wall mounting locations using dedicated brackets, plates or racks
- Connecting to S-Press or Quick & Easy (Q&E) fittings within hot and cold water supply systems]
- Providing rotation-protected, leak-tight transitions from pipes to fixtures

Uponor Smart Aqua single mounting angle

1057843



Product code

| | |
|--------------|----------------|
| Item no EAN | 4021598119574 |
| Item no GF | 35001057843 |
| Item no GTIN | 04021598119574 |

Dimensions

| | |
|------------------|------|
| Item Unit Height | 50 |
| Item Unit Length | 145 |
| Item Unit Weight | 0,22 |
| Item Unit Width | 40 |
| Item_UOM | pce |

Measurements

| | |
|------------------|-------|
| LENGTH_L | 143,5 |
| Wall thickness_s | 3,0 |
| Z Measurement b | 81,5 |
| Z Measurement h | 46 |

Packaging

| | |
|------------------------|----------------|
| Packaging GTIN PL1 | 06414905408894 |
| Packaging GTIN PL3 | 06414905408900 |
| Packaging GTIN PL4 | 06414905408917 |
| Packaging Height PL1 | 50 |
| Packaging Height PL3 | 89 |
| Packaging Height PL4 | 411 |
| Packaging Length PL1 | 145 |
| Packaging Length PL3 | 176 |
| Packaging Length PL4 | 1200 |
| Packaging Quantity PL1 | 1 |
| Packaging Quantity PL3 | 5 |
| Packaging Quantity PL4 | 1920 |

| | |
|----------------------|-------------|
| Packaging Type PL1 | Plastic_Bag |
| Packaging Type PL3 | Box |
| Packaging Type PL4 | Pallet |
| Packaging Volume PL1 | 0,00029 |
| Packaging Volume PL3 | 0,00211464 |
| Packaging Volume PL4 | 0,39456 |
| Packaging Weight PL1 | 0,23 |
| Packaging Weight PL3 | 1,25 |
| Packaging Weight PL4 | 505 |
| Packaging Width PL1 | 40 |
| Packaging Width PL3 | 135 |
| Packaging Width PL4 | 800 |

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com