


Uponor Smart Aqua single mounting angle

1057843

- Made of galvanized steel.
- For the installation of Uponor Smart Aqua tap elbows.
- Positioning of the connections in the given raster.
- Screws M6x12 acc. DIN 965 included. With holes and slots for easy attachment



Application information Uponor Smart Aqua single mounting angle

Specification

- Suitable for potable water installations using multilayer composite pipes (Uni Pipe & Uni Pipe PLUS)
- Components available in tin-plated brass, PPSU, galvanized steel, and aluminium sleeve versions
- Elbows for tap connection
- Mounted on walls, floors or installation frames with precise raster positioning
- Compatible with S-Press / S-Press PLUS and Q&E jointing technologies

if not different mentioned:


- Male and female threads acc.to EN 10226-1.
- Q&E rings must be ordered separately

Application

- Creating stable and accurately positioned tap water connection points (basins, showers, appliances)
- Preparing on-wall or in-wall mounting locations using dedicated brackets, plates or racks
- Connecting to S-Press or Quick & Easy (Q&E) fittings within hot and cold water supply systems]
- Providing rotation-protected, leak-tight transitions from pipes to fixtures

Uponor Smart Aqua single mounting angle

1057843



Product code

Item no EAN	4021598119574
Item no GF	35001057843
Item no GTIN	04021598119574

Dimensions

Item Unit Height	50
Item Unit Length	145
Item Unit Weight	0,22
Item Unit Width	40
Item_UOM	pce

Measurements

LENGTH_L	143,5
Wall thickness_s	3,0
Z Measurement b	81,5
Z Measurement h	46

Packaging

Packaging GTIN PL1	06414905408894
Packaging GTIN PL3	06414905408900
Packaging GTIN PL4	06414905408917
Packaging Height PL1	50
Packaging Height PL3	89
Packaging Height PL4	411
Packaging Length PL1	145
Packaging Length PL3	176
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL3	5
Packaging Quantity PL4	1920

Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00029
Packaging Volume PL3	0,00211464
Packaging Volume PL4	0,39456
Packaging Weight PL1	0,23
Packaging Weight PL3	1,25
Packaging Weight PL4	505
Packaging Width PL1	40
Packaging Width PL3	135
Packaging Width PL4	800

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com