


Uponor Smart Aqua mounting rack 2m

1057844

- Made of galvanized steel.
- For the installation of Uponor Smart Aqua tap elbows.
- Positioning of the connections in the given raster.
- Screws M6x12 acc. DIN 965 included. With holes and slots for easy attachment



Application information Uponor Smart Aqua mounting rack

Specification

- Suitable for potable water installations using multilayer composite pipes (Uni Pipe & Uni Pipe PLUS)
- Components available in tin-plated brass, PPSU, galvanized steel, and aluminium sleeve versions
- Elbows for tap connection
- Mounted on walls, floors or installation frames with precise raster positioning
- Compatible with S-Press / S-Press PLUS and Q&E jointing technologies

if not different mentioned:


- Male and female threads acc.to EN 10226-1.
- Q&E rings must be ordered separately

Application

- Creating stable and accurately positioned tap water connection points (basins, showers, appliances)
- Preparing on-wall or in-wall mounting locations using dedicated brackets, plates or racks
- Connecting to S-Press or Quick & Easy (Q&E) fittings within hot and cold water supply systems]
- Providing rotation-protected, leak-tight transitions from pipes to fixtures

Uponor Smart Aqua mounting rack 2m

1057844



Product code

Item no EAN	4021598119581
Item no GF	35001057844
Item no GTIN	04021598119581

Dimensions

Item Unit Height	3
Item Unit Length	2000
Item Unit Weight	2,155
Item Unit Width	50
Item_UOM	pce

Measurements

LENGTH_L	2000
Wall thickness_s	3,0
Z Measurement k	75

Packaging

Packaging GTIN PL1	06414905408924
Packaging GTIN PL3	06414905408931
Packaging Height PL1	3
Packaging Height PL3	30
Packaging Length PL1	2000
Packaging Length PL3	2000
Packaging Quantity PL1	1
Packaging Quantity PL3	10
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Volume PL1	0,0003
Packaging Volume PL3	0,003
Packaging Weight PL1	4,654025

Packaging Weight PL3	21,766
Packaging Width PL1	50
Packaging Width PL3	50

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com