
Product data sheet



GF Uponor Smart Aqua 10 pins+20 screws

1057847

- Pins and screws for mounting plates, angles and tracks.



Application information GF Uponor Smart Aqua 10 pins+20 screws

Specification

- Suitable for potable water installations using multilayer composite pipes (Uni Pipe & Uni Pipe PLUS)
- Components available in tin-plated brass, PPSU, galvanized steel, and aluminium sleeve versions
- Elbows for tap connection
- Mounted on walls, floors or installation frames with precise raster positioning
- Compatible with S-Press / S-Press PLUS and Q&E jointing technologies


if not different mentioned:
- Male and female threads acc.to EN 10226-1.
- Q&E rings must be ordered separately

Application

- Creating stable and accurately positioned tap water connection points (basins, showers, appliances)
- Preparing on-wall or in-wall mounting locations using dedicated brackets, plates or racks
- Connecting to S-Press or Quick & Easy (Q&E) fittings within hot and cold water supply systems]
- Providing rotation-protected, leak-tight transitions from pipes to fixtures

GF Uponor Smart Aqua 10 pins+20 screws

1057847



Measurements

Distance center center 1	10
LENGTH_L	17
Outer Diameter_do1	4
Outer Diameter_do2	10

Product code

Item no EAN	4021598119611
Item no GF	35001057847
Item no GTIN	04021598119611

Dimensions

Item Unit Height	12
Item Unit Length	11
Item Unit Weight	0,006
Item Unit Width	11
Item_UOM	set

Packaging

Packaging GTIN PL1	06414905408993
Packaging Height PL1	15
Packaging Length PL1	65
Packaging Quantity PL1	1
Packaging Type PL1	Plastic_Bag
Packaging Volume PL1	0,00004875
Packaging Weight PL1	0,01
Packaging Width PL1	50

Documents

Page with all documents

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E communications@georgfischer.com

www.uponor.com

+GF+