
Product data sheet



GF Uponor Uni-C compression adapter MLC FT 16-1/2"

1058086

- Compression adapter, union nut and inner sleeve Made of DR brass (lead-free)
- For connection of Uponor Uni Pipe PLUS and MLC pipes to manifolds (e.g. Uponor manifold S, SH)
- Female thread 1/2" according to EN ISO 228-1
- No bevel.



Application information GF Uponor Uni-C compression adapter MLC FT

Specification


- Modular brass manifold system with male threaded connections
- Components made of tin-plated or plated brass; brackets in galvanised steel
- Compatible with ½" Uni-C compression adapters for MLC and Uni Pipe PLUS pipes
- Thread standards according to EN ISO 228-1 / DIN
- System includes manifolds, valves, end caps, plugs, brackets, couplings, and adapters

Application

- Distribution and connection of tap water
- Manifold-based installations with male threaded connections
- Adaptation between Uponor pipe systems (Uni Pipe PLUS, MLC) and Uponor ½" threaded components
- Use in residential and light commercial installations
- Flexible system extension via manifolds, adapters, and accessories

GF Uponor Uni-C compression adapter MLC FT 16-1/2"

1058086



Measurements

Cylindric_thread_G	0,5
LENGTH_L	22,5
Length (l1)	13
Length (l2)	7,4
z1	4,2

Product code

Item no EAN	4021598119635
Item no GF	35001058086
Item no GTIN	04021598119635
Item no NOBB	48505134
Item no NRF	5071441
Item no VVS	045467189

Dimensions

Item Unit Height	28
Item Unit Length	24
Item Unit Weight	0,042
Item Unit Width	28
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905409242
Packaging GTIN PL3	06414905409259
Packaging GTIN PL4	06414905409266
Packaging Height PL1	29
Packaging Height PL3	89
Packaging Height PL4	570

Packaging Length PL1	25
Packaging Length PL3	176
Packaging Length PL4	1120
Packaging Quantity PL1	1
Packaging Quantity PL3	25
Packaging Quantity PL4	2400
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,000021025
Packaging Volume PL3	0,00211464
Packaging Volume PL4	0,4775232
Packaging Weight PL1	0,044
Packaging Weight PL3	1,089
Packaging Weight PL4	114,662
Packaging Width PL1	29
Packaging Width PL3	135
Packaging Width PL4	748

Documents

Page with all documents

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E communications@georgfischer.com

www.uponor.com

+GF+