


Uponor RS flange adapter RS2-DN65 (PN6)

1059398

- Made of tin-plated brass
- Fits to all RS2 or RS3 base parts
- Flange PN6/PN16 acc. to EN 1092-3
- Bolt circle with 4/8 holes.



Application information Uponor RS flange adapter

Specification

- with fixed press sleeve
- stop ring
- colour code
- Test safety

Application

- Tap water: The permanent operating temperature ranges from 0°C to 70°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 95°C for a period of 100 hours in the operating life time.
- Heating: The permanent operating temperature ranges up to 80°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 100°C for a period of 100 hours in the operating life time.

if not different mentioned:


- Male and female threads acc.to EN 10226-1.

Certification

- Approvals by local OM.
- E.g.
- DVGW
 - AENOR

Uponor RS flange adapter RS2-DN65 (PN6)

1059398



Measurements

| | |
|-------------------|------|
| Inner_diameter_di | 48,7 |
| LENGTH_L | 38 |
| Outer Diameter_do | 160 |
| Z Measurement k | 130 |
| z1 | 18 |

Product code

| | |
|--------------|----------------|
| Item no EAN | 4021598121706 |
| Item no GF | 35001059398 |
| Item no GTIN | 04021598121706 |
| Item no NRF | 5071281 |
| Item no RSK | 1897883 |

Dimensions

| | |
|------------------|-----|
| Item Unit Height | 40 |
| Item Unit Length | 160 |
| Item Unit Weight | 1,2 |
| Item Unit Width | 160 |
| Item_UOM | pce |

Packaging

| | |
|------------------------|----------------|
| Packaging GTIN PL1 | 06414905481385 |
| Packaging GTIN PL4 | 06414905481392 |
| Packaging Height PL1 | 60 |
| Packaging Height PL4 | 700 |
| Packaging Length PL1 | 215 |
| Packaging Length PL4 | 1200 |
| Packaging Quantity PL1 | 1 |
| Packaging Quantity PL4 | 144 |
| Packaging Type PL1 | Base_Box |

| | |
|----------------------|----------|
| Packaging Type PL4 | Pallet |
| Packaging Volume PL1 | 0,002838 |
| Packaging Volume PL4 | 0,672 |
| Packaging Weight PL1 | 1,4 |
| Packaging Weight PL4 | 197,8 |
| Packaging Width PL1 | 220 |
| Packaging Width PL4 | 800 |

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com