


Uponor Ecoflex tee insulation set 200/175/140

1060982

- Tee set for connecting the casing pipe
- ABS half sheels with insulation and reducer
- Traffic load of 60 tons (for dimension 250 : 40 tons)



Application information Uponor Ecoflex tee insulation set

Specification

- All accessories are corrosion resistant.

Application

- Ecoflex accessories are designed to complete the assortment in buried installation.

Certification

- Approvals should be checked by local responsible person

Uponor Ecoflex tee insulation set 200/175/140

1060982



Measurements

Inner_diameter_di1	200
Inner_diameter_di2	175
Inner_diameter_di3	140
LENGTH_L	786
Length (l1)	562
Length (l2)	562
Length (l3)	562

Product code

Item no EAN	6414905202669
Item no GF	35001060982
Item no GTIN	06414905202669
Item no LVI	3010400
Item no NOBB	47288761
Item no NRF	8360829
Item no RSK	2190470
Item no VVS	087910200

Dimensions

Item Unit Height	240
Item Unit Length	1124
Item Unit Weight	13,5
Item Unit Width	786
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905464098
Packaging GTIN PL4	06414905495894
Packaging Height PL1	325
Packaging Height PL4	1200

Packaging Length PL1	1135
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL4	4
Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,29141125
Packaging Volume PL4	1,152
Packaging Weight PL1	14
Packaging Weight PL4	61
Packaging Width PL1	790
Packaging Width PL4	800

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com