

Uponor Vario fill and drain valve 3/4" - 3/4"

1061802

- For Pumpgroup Push 12
- With rotatable hose connection



Application information Uponor Vario fill and drain valve

Specification

- Components made of brass, nickel-plated brass, steel, and engineered plastics
- Eurocone, threaded, and flat-sealing connections
- Compatible with Vario B, C, S, M, PLUS, and MAGNA manifolds
- Includes valves, flowmeters, air vents, actuators, and adapters
- Designed for heating and cooling applications

Application

- Completion and extension of Vario manifold installations
- Flow regulation, balancing, and shut-off
- Connection of PEX, MLCP, and composite pipes
- Integration of actuators, sensors, and control units
- Commissioning, maintenance, and system optimization

Uponor Vario fill and drain valve 3/4" - 3/4"

1061802



Measurements

Cylindric_thread_G	0,75
Cylindric_thread_G1	0,75

Product code

Item no EAN	4021598122307
Item no GF	35001061802
Item no GTIN	04021598122307
Item no NRF	8361183
Item no RSK	5398302
Item no VVS	381119106

Dimensions

Item Unit Height	47
Item Unit Length	105
Item Unit Weight	0,596
Item Unit Width	73
Item_UOM	set

Packaging

Packaging GTIN PL1	06414905464524
Packaging GTIN PL3	06414905449958
Packaging Height PL1	54
Packaging Height PL3	155
Packaging Length PL1	115
Packaging Length PL3	393
Packaging Quantity PL1	1
Packaging Quantity PL3	10
Packaging Type PL1	Base_Box
Packaging Type PL3	Box
Packaging Volume PL1	0,00050922

Packaging Volume PL3	0,01035555
Packaging Weight PL1	0,632
Packaging Weight PL3	6,56
Packaging Width PL1	82
Packaging Width PL3	170

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com