
Product data sheet




GF Uponor Q&E adapter DR S-Press 25-Q&E25

1062861

- Transition from Q&E to MLC / Uni Pipe PLUS
- One side with fixed press sleeve
- Color coding
- Pressing without calibration/deburring





Application information GF Uponor Q&E adapter DR S-Press

Specification


- Q&E fittings and rings for Uponor Pex pipes
- Metal fittings are made of high quality brass
- Plastic fittings are made of polyphenilsulphone
- Q&E rings must be ordered separately if not different mentioned


Application

if not different mentioned:
- Male and female threads acc.to EN 10226-1.

GF Uponor Q&E adapter DR S-Press 25-Q&E25

1062861





Product code

Item no EAN	4021598128767
Item no GTIN	04021598128767
Item no LVI	2072169
Item no NOBB	48014661
Item no NRF	5111104
Item no RSK	1854657
Item no VVS	045315025
Item Replacement 1	1145700

Dimensions

Item Unit Height	35
Item Unit Length	67
Item Unit Weight	0,106
Item Unit Width	35
Item_UOM	pce

Measurements

LENGTH_L	65
Length (l1)	31
Length (l2)	27
z1	8

Packaging

Packaging GTIN PL1	06414905413058
Packaging GTIN PL3	06414905413065
Packaging Height PL1	37
Packaging Height PL3	89
Packaging Length PL1	69

Packaging Length PL3	135
Packaging Quantity PL1	1
Packaging Quantity PL3	10
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Volume PL1	0,000094461
Packaging Volume PL3	0,001045305
Packaging Weight PL1	0,107
Packaging Weight PL3	1,126
Packaging Width PL1	37
Packaging Width PL3	87

Documents

Page with all documents

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E communications@georgfischer.com

www.uponor.com

+GF+