



## Uponor Comfort Pipe PLUS 14x2,0 120m

1062883

- UFH pipe made of PEX-a
- Complying with ISO 22391 and fulfils oxygen diffusion resistance as per DIN 4726
- Application class 4 and 5
- Design pressure 6 Bar at 70°C



### Application information Uponor Comfort Pipe PLUS

#### Specification



- Pipes manufactured from peroxide cross-linked polyethylene (PE-Xa) acc. EN ISO 15875
- EVOH (ethylene vinyl alcohol) layer for oxygen diffusion resistance as per DIN 4726
- 5layer
- Outside white PE layer designed to protect against mechanical damages
- Application class 4/5 - Underfloor heating and low temperature radiators
- Fire classification E according to DIN EN 13501-1.

#### Application

- Underfloor heating and low temperature radiators
- Heating
- Max design temperature: 90°C
- Malfunction temperature 100°C
- Design pressure 6 Bar at 70°C

## Uponor Comfort Pipe PLUS 14x2,0 120m

1062883



### Product code

|              |                |
|--------------|----------------|
| Item no EAN  | 7321500056506  |
| Item no GF   | 35001062883    |
| Item no GTIN | 07321500056506 |

### Dimensions

|                  |       |
|------------------|-------|
| Item Unit Height | 14    |
| Item Unit Length | 1000  |
| Item Unit Weight | 0,078 |
| Item Unit Width  | 14    |
| Item_UOM         | m     |

### Measurements

|                   |    |
|-------------------|----|
| Outer Diameter_do | 14 |
| Wall thickness_s  | 2  |

### Packaging

|                        |                |
|------------------------|----------------|
| Packaging GTIN PL1     | 06414905413072 |
| Packaging GTIN PL4     | 06414905413089 |
| Packaging Height PL1   | 100            |
| Packaging Height PL4   | 950            |
| Packaging Length PL1   | 780            |
| Packaging Length PL4   | 1200           |
| Packaging Quantity PL1 | 120            |
| Packaging Quantity PL4 | 1320           |
| Packaging Type PL1     | Base_Box       |
| Packaging Type PL4     | Pallet         |
| Packaging Volume PL1   | 0,06084        |
| Packaging Volume PL4   | 0,912          |
| Packaging Weight PL1   | 9,575          |
| Packaging Weight PL4   | 130,323        |

|                     |     |
|---------------------|-----|
| Packaging Width PL1 | 780 |
| Packaging Width PL4 | 800 |

## Documents

Page with all documents 

### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

[www.uponor.com](http://www.uponor.com)