


## Uponor Aqua PLUS waterguard off valve PPM 1"

1063203

- lastic membrane solenoid valve, Danfoss; EV228A 18P MIX E UN 000 code no. 042U819101 for Tap water PPM modular manifold system with Bayonet thread, grivory on the base valve unit, sealing in EPDM with silicon free lubricant, latching solenoid 12 V DC.



### Application information Uponor Aqua PLUS waterguard off valve PPM

#### Specification


- Watertight cabinets according to NT VVS 129
- For manifolds with c/c 50 mm
- For M7 cabinet sleeves
- Includes cabinet, splash covers and accesories kit with manifold clips
- Doors and frames (if needed) should be ordered separately
- RAL 9010
- Plastic manifolds for installation in Watertight cabinets
- Manifolds and accesories can be used separtelly
- In case of use of manifolds without cabinets, system watertightness according to NT VVS 129 cannot be guaranteed
- Metal fittings are made of high quality brass
- Plastic fittings are made of polyphenilsulphone
- PPM manifolds with bayonet threads

#### Application

- Watertight installations to prevent from damages in case of leakage
- All types of manifold installations

## Uponor Aqua PLUS waterguard off valve PPM 1"

1063203



### Measurements

Female thread Rp	1
LENGTH_L	111
Outer Diameter_do	69
Z Measurement h	90
Z Measurement h1	68

### Product code

Item no EAN	7321500056643
Item no GF	35001063203
Item no GTIN	07321500056643
Item no LVI	4579552
Item no NOBB	47563316
Item no NRF	5110192
Item no RSK	5216557
Item no VVS	087272952

### Dimensions

Item Unit Height	70
Item Unit Length	135
Item Unit Weight	0,42
Item Unit Width	125
Item_UOM	set

### Packaging

Packaging GTIN PL1	06414905464852
Packaging Height PL1	75
Packaging Length PL1	135
Packaging Quantity PL1	1
Packaging Type PL1	Base_Box
Packaging Volume PL1	0,001265625

Packaging Weight PL1	0,52
Packaging Width PL1	125

## Documents

Page with all documents 

### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211  
E  
communications@georgfischer.  
com