


## Uponor Aqua PLUS waterguard sensor

1063204

- Wireless sensor and sensor tape, plastic cover, electronic circuit, 2 AA batteries. The sensor is indicating moisture and sends signal to the control unit.



### Application information Uponor Aqua PLUS waterguard sensor

#### Specification


- Watertight cabinets according to NT VVS 129
- For manifolds with c/c 50 mm
- For M7 cabinet sleeves
- Includes cabinet, splash covers and accessories kit with manifold clips
- Doors and frames (if needed) should be ordered separately
- RAL 9010
- Plastic manifolds for installation in Watertight cabinets
- Manifolds and accessories can be used separately
- In case of use of manifolds without cabinets, system watertightness according to NT VVS 129 cannot be guaranteed
- Metal fittings are made of high quality brass
- Plastic fittings are made of polyphenilsulphone
- PPM manifolds with bayonet threads

#### Application

- Watertight installations to prevent from damages in case of leakage
- All types of manifold installations

## Uponor Aqua PLUS waterguard sensor

1063204



### Product code

Item no EAN	7321500056650
Item no GF	35001063204
Item no GTIN	07321500056650
Item no LVI	4579553
Item no NOBB	47563320
Item no NRF	5110193
Item no RSK	5216558
Item no VVS	087272953

### Dimensions

Item Unit Height	102
Item Unit Length	95
Item Unit Weight	0,097
Item Unit Width	27
Item_UOM	pce

### Packaging

Packaging GTIN PL1	06414905464869
Packaging GTIN PL3	06414905450374
Packaging GTIN PL4	06414905496310
Packaging Height PL1	120
Packaging Height PL3	150
Packaging Height PL4	1000
Packaging Length PL1	100
Packaging Length PL3	400
Packaging Length PL4	800
Packaging Quantity PL1	1
Packaging Quantity PL3	50
Packaging Quantity PL4	500

Packaging Type PL1	Base_Box
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00036
Packaging Volume PL3	0,024
Packaging Volume PL4	0,96
Packaging Weight PL1	0,197
Packaging Weight PL3	9,95
Packaging Weight PL4	124,5
Packaging Width PL1	30
Packaging Width PL3	400
Packaging Width PL4	1200

## Documents

Page with all documents



### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

[www.uponor.com](http://www.uponor.com)