

Uponor Klett panel roll extra EPS DES 25-2mm 10x1m

1063402

- thermal insulation panel, consists of Klett-foil for hook- and loop fixation laminated onto EPS (HBCD free) according to EN 13163 and DIN 4108-10.
- with self-adhesive tape at long side
- panel roll
- with step-sound reduction



Application information Uponor Klett panel roll extra

Specification

- Klett underfloor heating panel system, consists of Klett-foil for hook- and loop fixation laminated onto EPS according to EN 13163 and DIN 4108-10.
- based on hook- and loop fixation of Klett-pipes to insulation panels
- EN 13501-1 fire classification: class E
- standard flammability, building-material class B2, conforming to DIN 4102
- with self-adhesive tape at long side
- foil on the panel is printed with 100x100mm grid pattern

Application

- radiant underfloor heating and cooling
- for use with cement- and anhydrite-based screeds

Certification

- DIN CERTCO: 3V372 PE-Xa; 7F235-F;7F236-F; 7F342-F

Uponor Klett panel roll extra EPS DES 25-2mm 10x1m

1063402



Product code

Item no EAN	4021598128552
Item no GF	35001063402
Item no GTIN	04021598128552
Item no VVS	339291025

Dimensions

Item Unit Height	10
Item Unit Length	1000
Item Unit Weight	0,492
Item Unit Width	1000
Item_UOM	m ²

Technical data

Recycling Text Block PL1	Low density polyethylene
--------------------------	--------------------------

Packaging

Packaging GTIN PL1	06414905464968
Packaging GTIN PL4	06414905496358
Packaging Height PL1	950
Packaging Height PL4	2240
Packaging Length PL1	1105
Packaging Length PL4	1120
Packaging Material (number) PL1	4
Packaging Material PL1	Low density polyethylene
Packaging Material (short) PL1	LDPE
Packaging Quantity PL1	10
Packaging Quantity PL4	80
Packaging Type PL1	Plastic_Bag
Packaging Type PL4	Pallet
Packaging Volume PL1	0,28868125
Packaging Volume PL4	1,8765824
Packaging Weight PL1	5,2

Packaging Weight PL4	62
Packaging Width PL1	275
Packaging Width PL4	748

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com