




## Uponor Classic steel mesh 100mm 2100x1200x3mm

**1063406**

- steel mesh for mounting of pipe fixations of underfloor heating pipes
- material: steel



### Application information Uponor Classic steel mesh

#### Specification

- Classic underfloor heating system for installation on top of thermal/step-sound insulation provided by the customer.
- designed as steel-mesh supported fixation using single pipe clips

#### Application




- radiant underfloor heating and cooling
- for use with cement- and anhydrite-based screeds

#### Certification

- DIN CERTCO: 7F004-F; 7F371-F; 7F421-F

## Uponor Classic steel mesh 100mm 2100x1200x3mm

1063406



### Product code

Item no EAN	4021598127463
Item no GF	35001063406
Item no GTIN	04021598127463

### Dimensions

Item Unit Height	3
Item Unit Length	1000
Item Unit Weight	1,04
Item Unit Width	1000
Item_UOM	m <sup>2</sup>

### Measurements

LENGTH_L	2100
Length (l1)	100
Outer Diameter_do	3
Z Measurement b	1200
Z Measurement b1	100

### Packaging

Packaging GTIN PL1	06414900106986
Packaging GTIN PL2	06414900380898
Packaging GTIN PL4	06414900321624
Packaging Height PL1	3
Packaging Height PL2	100
Packaging Height PL4	915
Packaging Length PL1	2100
Packaging Length PL2	2100
Packaging Length PL4	2100
Packaging Material (number) PL4	51
Packaging Material PL4	wooden pallet / pallet di legno

Packaging Material (short) PL4	WOOD
Packaging Quantity PL1	2.52
Packaging Quantity PL2	25.2
Packaging Quantity PL4	756
Packaging Type PL1	Piece
Packaging Type PL2	Bundle
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00756
Packaging Volume PL2	0,252
Packaging Volume PL4	2,3058
Packaging Weight PL1	2,621
Packaging Weight PL2	26,21
Packaging Weight PL4	810,300
Packaging Width PL1	1200
Packaging Width PL2	1200
Packaging Width PL4	1200

## Technical data

Recycling Text Block PL4

wooden pallet / pallet di legno

## Documents

Page with all documents



### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

[www.uponor.com](http://www.uponor.com)