

Uponor Q&E adapter male thread DR 20-R3/4"MT

1063735

- Dezincification-resistant brass
- External thread DIN EN 10226-1
- Q&E rings must be ordered separately



Application information Uponor Q&E adapter male thread DR

Specification

- Q&E fittings and rings for Uponor Pex pipes
- Metal fittings are made of high quality brass
- Plastic fittings are made of polyphenilsulphone
- Q&E rings must be ordered separately if not different mentioned

Application

if not different mentioned:

- Male and female threads acc.to EN 10226-1.

Uponor Q&E adapter male thread DR 20-R3/4"MT

1063735



Status

Item Available Till date 2026-12-31T00:00:00.000+0100

Until stocks last Until stocks last

Product code

Item no EAN 4021598127074

Item no GTIN 04021598127074

Item no LVI 2022161

Item no NRF 5110305

Item no RSK 1899706

Item no VVS 045317721

Item Replacement 1 1145704

Dimensions

Item Unit Height 26

Item Unit Length 49

Item Unit Weight 0,095

Item Unit Width 26

Item_UOM pce

Measurements

LENGTH_L 50

Length (l1) 13

Length (l2) 22

Male_thread_R 3/4

z1 15

Packaging

Packaging GTIN PL1 06414905413782

Packaging GTIN PL3 06414905413799

Packaging GTIN PL4 06414905413805

Packaging Height PL1 35

| | |
|------------------------|-------------|
| Packaging Height PL3 | 95 |
| Packaging Height PL4 | 714 |
| Packaging Length PL1 | 124 |
| Packaging Length PL3 | 287 |
| Packaging Length PL4 | 1200 |
| Packaging Quantity PL1 | 5 |
| Packaging Quantity PL3 | 70 |
| Packaging Quantity PL4 | 6720 |
| Packaging Type PL1 | Plastic_Bag |
| Packaging Type PL3 | Box |
| Packaging Type PL4 | Pallet |
| Packaging Volume PL1 | 0,0003255 |
| Packaging Volume PL3 | 0,004880435 |
| Packaging Volume PL4 | 0,68544 |
| Packaging Weight PL1 | 0,475 |
| Packaging Weight PL3 | 6,74 |
| Packaging Weight PL4 | 672,04 |
| Packaging Width PL1 | 75 |
| Packaging Width PL3 | 179 |
| Packaging Width PL4 | 800 |

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com