
Product data sheet




GF Uponor Q&E adapter DR FT 16-Rp1/2"

1063738

- Dezincification-resistant brass
- Cylindrical female thread DIN EN 10226-1
- Q&E rings must be ordered separately





Application information GF Uponor Q&E adapter DR FT

Specification


- Q&E fittings and rings for Uponor Pex pipes
- Metal fittings are made of high quality brass
- Plastic fittings are made of polyphenilsulphone
- Q&E rings must be ordered separately if not different mentioned


Application

if not different mentioned:
- Male and female threads acc.to EN 10226-1.

GF Uponor Q&E adapter DR FT 16-Rp1/2"

1063738





Measurements

Female thread Rp	0,5
LENGTH_L	41
Length (l1)	15
Length (l2)	18
z1	8

Product code

Item no EAN	4021598127104
Item no GTIN	04021598127104
Item no NRF	5111265
Item Replacement 1	1145706

Dimensions

Item Unit Height	27
Item Unit Length	41
Item Unit Weight	0,076
Item Unit Width	27
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905413874
Packaging GTIN PL3	06414905413881
Packaging GTIN PL4	06414905413898
Packaging Height PL1	30
Packaging Height PL3	185
Packaging Height PL4	699
Packaging Length PL1	106
Packaging Length PL3	185

Packaging Length PL4	1200
Packaging Quantity PL1	5
Packaging Quantity PL3	60
Packaging Quantity PL4	5760
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0002385
Packaging Volume PL3	0,0031487
Packaging Volume PL4	0,67104
Packaging Weight PL1	0,38
Packaging Weight PL3	4,6
Packaging Weight PL4	441,6
Packaging Width PL1	75
Packaging Width PL3	92
Packaging Width PL4	800

Documents

Page with all documents

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E communications@georgfischer.com

www.uponor.com

+GF+