


Uponor Aqua PLUS elbow male female PPM 1"MT-1"FT

1063782

- for PPM manifolds



Application information Uponor Aqua PLUS elbow male female PPM

Specification


- Watertight cabinets according to NT VVS 129
- For manifolds with c/c 50 mm
- For M7 cabinet sleeves
- Includes cabinet, splash covers and accesories kit with manifold clips
- Doors and frames (if needed) should be ordered separately
- RAL 9010
- Plastic manifolds for installation in Watertight cabinets
- Manifolds and accesories can be used separtelly
- In case of use of manifolds without cabinets, system watertightness according to NT VVS 129 cannot be guaranteed
- Metal fittings are made of high quality brass
- Plastic fittings are made of polyphenilsulphone
- PPM manifolds with bayonet threads

Application

- Watertight installations to prevent from damages in case of leakage
- All types of manifold installations

Uponor Aqua PLUS elbow male female PPM 1"MT-1"FT

1063782



Product code

Item no EAN	6414905203284
Item no GF	35001063782
Item no GTIN	06414905203284
Item no LVI	2072147
Item no NOBB	47564315
Item no NRF	5110197
Item no RSK	1881078
Item no VVS	087607708

Dimensions

Item Unit Height	62
Item Unit Length	60
Item Unit Weight	0,034
Item Unit Width	38
Item_UOM	pce

Measurements

Length (l1)	38,5
Length (l2)	35
z1	22
z2	20

Packaging

Packaging GTIN PL1	06414900383486
Packaging GTIN PL3	06414905414529
Packaging GTIN PL4	06414905414543
Packaging Height PL1	65
Packaging Height PL3	110
Packaging Height PL4	914
Packaging Length PL1	60

Packaging Length PL3	287
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL3	20
Packaging Quantity PL4	2240
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,000156
Packaging Volume PL3	0,00606144
Packaging Volume PL4	0,87744
Packaging Weight PL1	0,044
Packaging Weight PL3	0,98
Packaging Weight PL4	134,76
Packaging Width PL1	40
Packaging Width PL3	192
Packaging Width PL4	800

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com