
Product data sheet




GF Uponor Q&E adapter DR MT 32-R1"

1063806

- Dezincification-resistant brass
- External thread DIN EN 10226-1
- Q&E rings must be ordered separately





Application information GF Uponor Q&E adapter DR MT

Specification


- Q&E fittings and rings for Uponor Pex pipes
- Metal fittings are made of high quality brass
- Plastic fittings are made of polyphenilsulphone
- Q&E rings must be ordered separately if not different mentioned


Application

if not different mentioned:
- Male and female threads acc.to EN 10226-1.

GF Uponor Q&E adapter DR MT 32-R1"

1063806





Product code

Item no EAN	4021598127401
Item no GTIN	04021598127401
Item no LVI	2022281
Item no NRF	5111264
Item no RSK	1899479
Item Replacement 1	1145715

Dimensions

Item Unit Height	38
Item Unit Length	64
Item Unit Weight	0,168
Item Unit Width	38
Item_UOM	pce

Measurements

LENGTH_L	65
Length (l1)	15
Length (l2)	34
Male_thread_R	1
z1	17

Packaging

Packaging GTIN PL1	06414905414642
Packaging GTIN PL3	06414905414659
Packaging GTIN PL4	06414905414666
Packaging Height PL1	40
Packaging Height PL3	185
Packaging Height PL4	570

Packaging Length PL1	65
Packaging Length PL3	185
Packaging Length PL4	1120
Packaging Quantity PL1	1
Packaging Quantity PL3	20
Packaging Quantity PL4	1920
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,000104
Packaging Volume PL3	0,0031487
Packaging Volume PL4	0,4775232
Packaging Weight PL1	0,178
Packaging Weight PL3	3,66
Packaging Weight PL4	376,36
Packaging Width PL1	40
Packaging Width PL3	92
Packaging Width PL4	748

Documents

Page with all documents

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E communications@georgfischer.com

www.uponor.com

+GF+