Product data sheet




GF Uponor Q&E reducer 20-14

1063933

- Pex Material





Application information GF Uponor Q&E reducer

Specification

- Q&E fittings and rings for Uponor Pex pipes
- Metal fittings are made of high quality brass
- Plastic fittings are made of polyphenilsulphone
- Q&E rings must be ordered separately if not different mentioned


Application

if not different mentioned:
- Male and female threads acc.to EN 10226-1.

GF Uponor Q&E reducer 20-14

1063933





Product code

Item no EAN	4021598128644
Item no GF	35001063933
Item no GTIN	04021598128644

Dimensions

Item Unit Height	27
Item Unit Length	42
Item Unit Weight	0,05
Item Unit Width	27
Item_UOM	pce

Measurements

LENGTH_L	43
Length (l1)	22
Length (l2)	18
z1	3

Packaging

Packaging GTIN PL1	06414905415038
Packaging GTIN PL3	06414905634651
Packaging Height PL1	28
Packaging Height PL3	89
Packaging Length PL1	88
Packaging Length PL3	176
Packaging Quantity PL1	2
Packaging Quantity PL3	12
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box

Packaging Volume PL1	0,000068992
Packaging Volume PL3	0,001049488
Packaging Weight PL1	0,11
Packaging Weight PL3	0,64
Packaging Width PL1	28
Packaging Width PL3	67

Documents

Page with all documents

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E communications@georgfischer.com

www.uponor.com

+GF+