

Uponor Smatrix Wave relay module M-161 2x

1071673

- dual output receiver for Uponor Smatrix Wave controller or Uponor Smatrix Wave controller Pulse
 - 2 potential free or live 230V 5A outputs
 - pump / dehumidifier mode
 - pump / H/C changeover mode
 - boiler / chiller mode
 - operating distance: max. 30m
 - protection class: Class II IP30
 - color: white
- Consisting of:
- Uponor Smatrix Wave relay module M-161 2X
 - power supply
 - mounting material



Application information Uponor Smatrix Wave relay module M-161

Specification

- up to 4 controller in one system
- operating voltage: 230V
- autobalancing optimises energy use and comfort
- electric control
- supports up to 6 room thermostats and 8 actuators (24V) per controller
- pump and boiler relays
- valve and pump exercise
- relative humidity control
- combines underfloor heating/cooling and ceiling cooling control
- max. power input per actuator: 24VAC / 0.2A (0.4A peak)

Smatrix Wave Pulse:

- local access (Wi-Fi) or remote access (internet connection required) via Uponor Smatrix Pulse App (with R-208)
- temporary wi-fi access point for direct access (if local wi-fi is not available) (with R-208)
- smart home ecosystem integration (Amazon Alexa, Google Home) (with R-208)
- multi-home control (with R-208)
- third-party access for remote support (user allowance required) (with R-208)
- history trend analysis via Uponor Smatrix Pulse app (with R-208)
- timer programming (with R-208)
- comfort settings (with R-208)
- supply diagnostics (with R-208)

Application

- wireless room temperature control for radiant heating and cooling
- set point range: +5°C ... +35°C

Certification

- CE / EAC

Uponor Smatrix Wave relay module M-161 2x

1071673



Product code

Item no EAN	4021598130852
Item no GF	35001071673
Item no GTIN	04021598130852
Item no LVI	2024519
Item no NRF	8361242
Item no RSK	5398326
Item no VVS	466251040

Dimensions

Item Unit Height	27
Item Unit Length	170
Item Unit Weight	0,227
Item Unit Width	47
Item_UOM	pce

Measurements

LENGTH_L	170
Z Measurement h	27
Z Measurement w	47

Packaging

Packaging GTIN PL1	06414905415922
Packaging GTIN PL3	06414905630127
Packaging GTIN PL4	06414905630325
Packaging Height PL1	70
Packaging Height PL3	300
Packaging Height PL4	1500
Packaging Length PL1	190
Packaging Length PL3	400
Packaging Length PL4	1200

Packaging Quantity PL1	1
Packaging Quantity PL3	16
Packaging Quantity PL4	384
Packaging Type PL1	Base_Box
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0016625
Packaging Volume PL3	0,036
Packaging Volume PL4	1,44
Packaging Weight PL1	0,294
Packaging Weight PL3	5,37
Packaging Weight PL4	153,88
Packaging Width PL1	125
Packaging Width PL3	300
Packaging Width PL4	800

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com