

Uponor Smatrix Move supply cont. X-157 Wired

1071693

- supply water temperature controller
- control mode: heating only
- control principle: outdoor temperature compensation

- Functions:
 - mixing valve activation
 - weekly program with 9 pre-programmed schedules
 - 4 freely programmable schedules
 - pump logic as stand alone
 - pump logic in combination with Uponor Smatrix Base or Wave controller
 - real time information of supply, outdoor and room temperature
 - real time information of mixing valve status
 - real time information of current day shown in a graph (comfort and reduced temperature)

- Options:
 - DHW production and boiler control
 - HW heating circuit
 - up to 100°C supply water control
 - 2 powered general purpose outputs
 - 2 general purpose inputs
 - security contact thermostat
 - 230V mixer motor

- Content:
 - Uponor Smatrix Move controller H
 - supply/return sensor
 - outdoor sensor
 - protection class: IP30 II
 - color: dark grey



Application information Uponor Smatrix Move supply cont. X-157 Wired

Specification

- comfort and Eco programming schedule
- real time status information
- pump logic for both stand alone and in combination with Uponor room temperature controls
- multiple compensation modes
- optional: secondary heating/hot water circuit control
- optional: snowmelt add-on
- optional: condensation protection

Application

- supply water temperature control

Certification

- CE

Uponor Smatrix Move supply cont. X-157 Wired

1071693



Product code

| | |
|--------------|----------------|
| Item no EAN | 4021598131057 |
| Item no GF | 35001071693 |
| Item no GTIN | 04021598131057 |
| Item no LVI | 2024533 |
| Item no NRF | 8361239 |
| Item no RSK | 5398341 |
| Item no VVS | 466255020 |

Dimensions

| | |
|------------------|-------|
| Item Unit Height | 45 |
| Item Unit Length | 160 |
| Item Unit Weight | 1,438 |
| Item Unit Width | 85 |
| Item_UOM | set |

Measurements

| | |
|-----------------|-----|
| LENGTH_L | 160 |
| Z Measurement h | 45 |
| Z Measurement w | 85 |

Packaging

| | |
|----------------------|----------------|
| Packaging GTIN PL1 | 06414905416042 |
| Packaging GTIN PL3 | 06414905416059 |
| Packaging GTIN PL4 | 06414905630370 |
| Packaging Height PL1 | 80 |
| Packaging Height PL3 | 300 |
| Packaging Height PL4 | 1500 |
| Packaging Length PL1 | 370 |
| Packaging Length PL3 | 400 |
| Packaging Length PL4 | 1200 |

| | |
|------------------------|----------|
| Packaging Quantity PL1 | 1 |
| Packaging Quantity PL3 | 4 |
| Packaging Quantity PL4 | 96 |
| Packaging Type PL1 | Base_Box |
| Packaging Type PL3 | Box |
| Packaging Type PL4 | Pallet |
| Packaging Volume PL1 | 0,004588 |
| Packaging Volume PL3 | 0,036 |
| Packaging Volume PL4 | 1,44 |
| Packaging Weight PL1 | 1,464 |
| Packaging Weight PL3 | 5,9 |
| Packaging Weight PL4 | 166,6 |
| Packaging Width PL1 | 155 |
| Packaging Width PL3 | 300 |
| Packaging Width PL4 | 800 |

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com