

Uponor S-Press tool Mini2 with KSP0 jaw 16/20/25

1083594

- Uponor S-Press tool Mini² supplied in carrying case, complete with battery and charger unit and pressing jaws.
- Range of application up to 25 mm.

- Technical specifications:

- Very quick pressing thanks to short pressing cycle of 3-4 seconds
- Crimping force: linear thrust of approx. 15 kN
- Battery capacity: High-power Makita 1.3 Ah Li-Ion battery (3.0 Ah optional)
- Charging time: 1.5 Ah 15 min. 3.0 Ah 22 min
- Weight incl. battery: without jaws 1.7 kg
- Dimensions tool: 377 x 75 x 116 mm
- Revolving/rotatable: approx. 350° rotating pressing jaw holder



Application information Uponor S-Press tool Mini2 with KSP0 jaw

Specification

- Manual and battery-powered pressing tools
- Interchangeable jaws and pressing chains
- Suitable for small to large pipe diameters
- Controlled pressing force and cycle time

Application

- Pressing of MLC press fittings
- Battery-powered or manual pressing on site
- Large-diameter pressing using chains and base units
- Pressure testing and commissioning support

Uponor S-Press tool Mini2 with KSP0 jaw 16/20/25

1083594



Product code

Item no EAN	4021598131774
Item no GF	35001083594
Item no GTIN	04021598131774

Dimensions

Item Unit Height	90
Item Unit Length	420
Item Unit Weight	5,6
Item Unit Width	270
Item_UOM	set

Packaging

Packaging GTIN PL1	06414905469710
Packaging GTIN PL4	06414900310222
Packaging Height PL1	122
Packaging Height PL4	1000
Packaging Length PL1	490
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL4	25
Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,023912
Packaging Volume PL4	0,96
Packaging Weight PL1	5,7
Packaging Weight PL4	166,4
Packaging Width PL1	400
Packaging Width PL4	800

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com