

Uponor S-Press battery UP110

1083608

- Akku 18 V / 3,0 Ah, Li-Ion (54 Wh)
- Battery voltage: 18 V
- Battery capacity: 3.0 Ah
- Charging time: With SPI S-PRESS BATTERY CHARGER: 22 min
- Cell technology: Li-Ion
- Weight: 0,6 kg



Application information Uponor S-Press battery UP110

Specification

- Manual and battery-powered pressing tools
- Interchangeable jaws and pressing chains
- Suitable for small to large pipe diameters
- Controlled pressing force and cycle time

Application

- Pressing of MLC press fittings
- Battery-powered or manual pressing on site
- Large-diameter pressing using chains and base units
- Pressure testing and commissioning support

Uponor S-Press battery UP110

1083608



Product code

Item no EAN	4021598131811
Item no GF	35001083608
Item no GTIN	04021598131811
Item no LVI	1725911
Item no NOBB	48959192
Item no NRF	5071296
Item no RSK	1881875
Item no VVS	045498461

Dimensions

Item Unit Height	62
Item Unit Length	110
Item Unit Weight	0,602
Item Unit Width	75
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905469758
Packaging GTIN PL3	06414905630011
Packaging Height PL1	110
Packaging Height PL3	280
Packaging Length PL1	205
Packaging Length PL3	400
Packaging Quantity PL1	1
Packaging Quantity PL3	10
Packaging Type PL1	Base_Box
Packaging Type PL3	Box
Packaging Volume PL1	0,0033825
Packaging Volume PL3	0,0448

Packaging Weight PL1	0,766
Packaging Weight PL3	7,224
Packaging Width PL1	150
Packaging Width PL3	400

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com