


Uponor Ecoflex shrink sleeve 250

1084575

- Seal casing pipe with chamber or other casing outlets



Application information Uponor Ecoflex shrink sleeve

Specification

- All accessories are corrosion resistant.

Application


- Ecoflex accessories are designed to complete the assortment in buried installation.

Certification

- Approvals should be checked by local responsible person

Uponor Ecoflex shrink sleeve 250

1084575



Measurements

Inner_diameter_di1	335
Inner_diameter_di2	222
LENGTH_L	300

Product code

Item no EAN	4021598132382
Item no GF	35001084575
Item no GTIN	04021598132382
Item no LVI	3010432
Item no NOBB	49605583
Item no NRF	8361319
Item no RSK	2282469
Item no VVS	087917250

Dimensions

Item Unit Height	30
Item Unit Length	300
Item Unit Weight	0,8
Item Unit Width	250
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905473564
Packaging GTIN PL3	06414905473571
Packaging Height PL1	50
Packaging Height PL3	470
Packaging Length PL1	300
Packaging Length PL3	585
Packaging Quantity PL1	1
Packaging Quantity PL3	15

Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Volume PL1	0,00495
Packaging Volume PL3	0,10585575
Packaging Weight PL1	0,85
Packaging Weight PL3	13,80
Packaging Width PL1	330
Packaging Width PL3	385

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com