

## Uponor Ecoflex Aqua Pipe Twin 32x4,4-20x2,8/175

1084886

- Warm tap water with circulation
- Two medium pipe PE-Xa, SDR 7,4
- Max. load 10 bar / 95°C
- PEX foam, HDPE casing
- Coloured centre profil to avoid confusion of supply and circulation



### Application information Uponor Ecoflex Aqua Pipe Twin

#### Specification

- Flexible, pre-insulated, self-compensating plastic pipe system.
- Medium pipe: cross-linked polyethylene (PE-Xa) pipe based on EN ISO 15875, natural coloured, PN 10 (SDR 7,4)
- Insulating material: closed-cell PE-X foam, permanently elastic, ageing-resistant
- Casing pipe: Corrugated polyethylene (HDPE)

#### Application

- Transport of warm tap water for buried installations.
- Tap water operating temperature 70°C based on EN 15875
- Malfunction temperature 95°C
- Static verification for heavy traffic load of 60 tons

#### Certification

- Approval should be checked by local responsible person

## Uponor Ecoflex Aqua Pipe Twin 32x4,4-20x2,8/175

1084886



### Measurements

|                    |     |
|--------------------|-----|
| Bending radius M   | 0,7 |
| Outer Diameter_do  | 175 |
| Outer Diameter_do1 | 32  |
| Outer Diameter_do2 | 20  |
| Wall thickness_s1  | 4,4 |
| Wall thickness_s2  | 2,8 |

### Product code

|              |                |
|--------------|----------------|
| Item no EAN  | 4021598133150  |
| Item no GF   | 35001084886    |
| Item no GTIN | 04021598133150 |
| Item no LVI  | 3010174        |
| Item no NRF  | 8360873        |
| Item no RSK  | 2266160        |
| Item no VVS  | 087363732      |

### Dimensions

|                  |      |
|------------------|------|
| Item Unit Height | 175  |
| Item Unit Length | 1000 |
| Item Unit Weight | 2,5  |
| Item Unit Width  | 175  |
| Item_UOM         | m    |

### Packaging

|                        |                |
|------------------------|----------------|
| Packaging GTIN PL1     | 06414905283491 |
| Packaging Height PL1   | 2400           |
| Packaging Length PL1   | 1850           |
| Packaging Quantity PL1 | 200            |
| Packaging Type PL1     | Coil           |
| Packaging Volume PL1   | 10,656         |

|                      |      |
|----------------------|------|
| Packaging Weight PL1 | 500  |
| Packaging Width PL1  | 2400 |

## Documents

Page with all documents 

### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211  
E  
communications@georgfischer.  
com