


## Uponor Smart UFH-pipe 16x2,0 640m

**1086576**

- UFH pipe made of PE-RT
- complying with ISO 22391 and fulfils the requirement for oxygen diffusion resistance as per DIN 4726
- compatible to Uponor Smart compression fittings
- application class 4
- design pressure 6 Bar at 70°C



### Application information Uponor Smart UFH-pipe

#### Specification


- Smart underfloor heating system portfolio
- with Tacker panels and pipe fixations

#### Application

- Underfloor heating systems
- Residential and light commercial heating installations
- Screeded floor constructions with thermal and impact sound insulation

## Uponor Smart UFH-pipe 16x2,0 640m

1086576



### Product code

|              |                |
|--------------|----------------|
| Item no EAN  | 7321500058081  |
| Item no GF   | 35001086576    |
| Item no GTIN | 07321500058081 |
| Item no LVI  | 2022056        |
| Item no RSK  | 2716764        |
| Item no VVS  | 087414616      |

### Dimensions

|                  |       |
|------------------|-------|
| Item Unit Height | 16    |
| Item Unit Length | 1000  |
| Item Unit Weight | 0,092 |
| Item Unit Width  | 16    |
| Item_UOM         | m     |

### Measurements

|                   |    |
|-------------------|----|
| Outer Diameter_do | 16 |
| Wall thickness_s  | 2  |

### Packaging

|                        |                |
|------------------------|----------------|
| Packaging GTIN PL3     | 06414905284092 |
| Packaging GTIN PL4     | 06414905284108 |
| Packaging Height PL3   | 580            |
| Packaging Height PL4   | 940            |
| Packaging Length PL3   | 710            |
| Packaging Length PL4   | 1200           |
| Packaging Quantity PL3 | 640            |
| Packaging Quantity PL4 | 1280           |
| Packaging Type PL3     | Box            |
| Packaging Type PL4     | Pallet         |
| Packaging Volume PL3   | 0,292378       |

|                      |        |
|----------------------|--------|
| Packaging Volume PL4 | 0,9024 |
| Packaging Weight PL3 | 59,88  |
| Packaging Weight PL4 | 144,76 |
| Packaging Width PL3  | 710    |
| Packaging Width PL4  | 800    |

## Documents

Page with all documents 

### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

[www.uponor.com](http://www.uponor.com)