


Uponor Klett twinboard 2400x1000x3mm

1086854

- underfloor fixation panel 2.400 x 1.000 x 3mm, folded, consists of loop layer, laminated onto plastic 3-layer structured-core panel
- fire classification acc. DIN EN 13501-1: class E
- for live loads up to 5kN/m² in application areas acc. DIN EN 1991-1-1:2010-12 table 6.1: A1-A3; B1-B3, C1-C5, D1-D2 and T1-T2
- tested and evaluated by expertise of KIWA TBU for lifetime of 50 years



Application information Uponor Klett twinboard

Specification

- Klett underfloor heating panel system, consists of Klett-foil for hook- and loop fixation laminated onto EPS according to EN 13163 and DIN 4108-10.
- based on hook- and loop fixation of Klett-pipes to insulation panels
- EN 13501-1 fire classification: class E
- standard flammability, building-material class B2, conforming to DIN 4102
- with self-adhesive tape at long side
- foil on the panel is printed with 100x100mm grid pattern

Application


- radiant underfloor heating and cooling
- for use with cement- and anhydrite-based screeds

Certification

- DIN CERTCO: 3V372 PE-Xa; 7F235-F; 7F236-F; 7F342-F

Uponor Klett twinboard 2400x1000x3mm

1086854



Measurements

Distance center center	100
LENGTH_L	2400
Z Measurement b	1000
Z Measurement h	3

Product code

Item no EAN	4021598148994
Item no GF	35001086854
Item no GTIN	04021598148994
Item no NRF	8361273
Item no RSK	2989143

Dimensions

Item Unit Height	3
Item Unit Length	1000
Item Unit Weight	0,8
Item Unit Width	1000
Item_UOM	m ²

Technical data

Recycling Text Block PL1 corrugated cardboard / cartone

Packaging

Packaging GTIN PL1	06414900617758
Packaging GTIN PL4	06414905503506
Packaging Height PL1	70
Packaging Height PL4	1194
Packaging Length PL1	1200
Packaging Length PL4	1200
Packaging Material (number) PL1	20
Packaging Material PL1	corrugated cardboard / cartone

Packaging Material (short) PL1	PAP_C
Packaging Quantity PL1	24
Packaging Quantity PL4	360
Packaging Type PL1	BASE_BOX
Packaging Type PL4	PALLET
Packaging Volume PL1	0,084
Packaging Volume PL4	1,14624
Packaging Weight PL1	20,6
Packaging Weight PL4	334,0
Packaging Width PL1	1000
Packaging Width PL4	800

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com