


Uponor Smatrix Wave thermostat T-165 POD standard RAL9016

1086981

- measures perceived room temperature
- protection class: IP30
- color: white glossy

- Functions:
 - light indication behind dial after changing the set point
 - heating/cooling demand indication
 - dip switch to enable/disable timer function if timer installed
 - optional: enable/disable timer function

- Consisting of:
 - Uponor Smatrix Wave thermostat standard T-165 POD
 - 2x AAA batteries
 - mounting material



Application information Uponor Smatrix Wave thermostat T-165 POD standard

Specification

- up to 4 controller in one system
- operating voltage: 230V
- autobalancing optimises energy use and comfort
- electric control
- supports up to 6 room thermostats and 8 actuators (24V) per controller
- pump and boiler relays
- valve and pump exercise
- relative humidity control
- combines underfloor heating/cooling and ceiling cooling control
- max. power input per actuator: 24VAC / 0.2A (0.4A peak)

Smatrix Wave Pulse:

- local access (Wi-Fi) or remote access (internet connection required) via Uponor Smatrix Pulse App (with R-208)
- temporary wi-fi access point for direct access (if local wi-fi is not available) (with R-208)
- smart home ecosystem integration (Amazon Alexa, Google Home) (with R-208)
- multi-home control (with R-208)
- third-party access for remote support (user allowance required) (with R-208)
- history trend analysis via Uponor Smatrix Pulse app (with R-208)
- timer programming (with R-208)
- comfort settings (with R-208)
- supply diagnostics (with R-208)

Application


- wireless room temperature control for radiant heating and cooling
- set point range: +5°C ... +35°C

Certification

- CE / EAC

Uponor Smatrix Wave thermostat T-165 POD standard RAL9016

1086981



Product code

Item no EAN	4021598149113
Item no GF	35001086981
Item no GTIN	04021598149113
Item no LVI	2024501
Item no NOBB	51166742
Item no NRF	8361081
Item no RSK	2987788
Item no VVS	466251021

Dimensions

Item Unit Height	25
Item Unit Length	80
Item Unit Weight	0,108
Item Unit Width	80
Item_UOM	pce

Measurements

LENGTH_L	80
Z Measurement h	25
Z Measurement w	80

Packaging

Packaging GTIN PL1	06414905284627
Packaging GTIN PL3	06414905284634
Packaging GTIN PL4	06414905284641
Packaging Height PL1	40
Packaging Height PL3	300
Packaging Height PL4	1500
Packaging Length PL1	100
Packaging Length PL3	400

Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL3	75
Packaging Quantity PL4	1800
Packaging Type PL1	Base_Box
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00036
Packaging Volume PL3	0,036
Packaging Volume PL4	1,44
Packaging Weight PL1	0,134
Packaging Weight PL3	10,87
Packaging Weight PL4	285,88
Packaging Width PL1	90
Packaging Width PL3	300
Packaging Width PL4	800

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com