


## Uponor Aqua PLUS Q&E adapter PPSU PPM 16

1087112

- for PPM manifolds



### Application information Uponor Aqua PLUS Q&E adapter PPSU PPM

#### Specification


- Watertight cabinets according to NT VVS 129
- For manifolds with c/c 50 mm
- For M7 cabinet sleeves
- Includes cabinet, splash covers and accessories kit with manifold clips
- Doors and frames (if needed) should be ordered separately
- RAL 9010
- Plastic manifolds for installation in Watertight cabinets
- Manifolds and accessories can be used separately
- In case of use of manifolds without cabinets, system watertightness according to NT VVS 129 cannot be guaranteed
- Metal fittings are made of high quality brass
- Plastic fittings are made of polyphenilsulphone
- PPM manifolds with bayonet threads

#### Application

- Watertight installations to prevent from damages in case of leakage
- All types of manifold installations

## Uponor Aqua PLUS Q&E adapter PPSU PPM 16

1087112



### Measurements

Female thread Rp	1/2
LENGTH_L	37,1
Length (l1)	5
Length (l2)	18
z1	10,5

### Product code

Item no EAN	6414905237715
Item no GF	35001087112
Item no GTIN	06414905237715
Item no LVI	2072452
Item no NOBB	52864306
Item no NRF	5110347
Item no RSK	2054454
Item no VVS	087608016

### Dimensions

Item Unit Height	30
Item Unit Length	34
Item Unit Weight	0,014
Item Unit Width	35
Item_UOM	pce

### Packaging

Packaging GTIN PL1	06414905232642
Packaging GTIN PL3	06414905271108
Packaging GTIN PL4	06414905273690
Packaging Height PL1	30
Packaging Height PL3	97
Packaging Height PL4	806

Packaging Length PL1	35
Packaging Length PL3	282
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL3	30
Packaging Quantity PL4	3360
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00003675
Packaging Volume PL3	0,005115198
Packaging Volume PL4	0,77376
Packaging Weight PL1	0,024
Packaging Weight PL3	0,82
Packaging Weight PL4	116,84
Packaging Width PL1	35
Packaging Width PL3	187
Packaging Width PL4	800

## Documents

Page with all documents



### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

[www.uponor.com](http://www.uponor.com)