


## Uponor Aqua PLUS manifold plug PPM MT

1087119

- for PPM manifolds



### Application information Uponor Aqua PLUS manifold plug PPM

#### Specification


- Watertight cabinets according to NT VVS 129
- For manifolds with c/c 50 mm
- For M7 cabinet sleeves
- Includes cabinet, splash covers and accessories kit with manifold clips
- Doors and frames (if needed) should be ordered separately
- RAL 9010
- Plastic manifolds for installation in Watertight cabinets
- Manifolds and accessories can be used separately
- In case of use of manifolds without cabinets, system watertightness according to NT VVS 129 cannot be guaranteed
- Metal fittings are made of high quality brass
- Plastic fittings are made of polyphenilsulphone
- PPM manifolds with bayonet threads

#### Application

- Watertight installations to prevent from damages in case of leakage
- All types of manifold installations

## Uponor Aqua PLUS manifold plug PPM MT

1087119



### Product code

Item no EAN	6414905237791
Item no GF	35001087119
Item no GTIN	06414905237791
Item no LVI	2072459
Item no NOBB	52864352
Item no NRF	5110352
Item no RSK	2054462
Item no VVS	087608818

### Dimensions

Item Unit Height	41
Item Unit Length	30
Item Unit Weight	0,017
Item Unit Width	44
Item_UOM	pce

### Measurements

LENGTH_L	30,3
Length (l1)	11,8

### Packaging

Packaging GTIN PL1	06414905232710
Packaging GTIN PL3	06414905271177
Packaging GTIN PL4	06414905273768
Packaging Height PL1	45
Packaging Height PL3	97
Packaging Height PL4	806
Packaging Length PL1	30
Packaging Length PL3	282
Packaging Length PL4	1200

Packaging Quantity PL1	1
Packaging Quantity PL3	30
Packaging Quantity PL4	3360
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00006075
Packaging Volume PL3	0,005115198
Packaging Volume PL4	0,77376
Packaging Weight PL1	0,027
Packaging Weight PL3	0,91
Packaging Weight PL4	126,92
Packaging Width PL1	45
Packaging Width PL3	187
Packaging Width PL4	800

## Documents

Page with all documents



### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

[www.uponor.com](http://www.uponor.com)