


Uponor Aqua PLUS manifold PPM 1+1X c/c50mm

1087124

- for PPM manifolds



Application information Uponor Aqua PLUS manifold PPM

Specification


- Watertight cabinets according to NT VVS 129
- For manifolds with c/c 50 mm
- For M7 cabinet sleeves
- Includes cabinet, splash covers and accessories kit with manifold clips
- Doors and frames (if needed) should be ordered separately
- RAL 9010
- Plastic manifolds for installation in Watertight cabinets
- Manifolds and accessories can be used separately
- In case of use of manifolds without cabinets, system watertightness according to NT VVS 129 cannot be guaranteed
- Metal fittings are made of high quality brass
- Plastic fittings are made of polyphenylsulphone
- PPM manifolds with bayonet threads

Application

- Watertight installations to prevent from damages in case of leakage
- All types of manifold installations

Uponor Aqua PLUS manifold PPM 1+1X c/c50mm

1087124



Measurements

Distance center center	50
Length (l1)	30
Length (l2)	33,2
Length (l3)	33,2
z1	22,1
Z2	16,75

Product code

Item no EAN	6414905237845
Item no GF	35001087124
Item no GTIN	06414905237845
Item no LVI	2072464
Item no NOBB	52864454
Item no NRF	5110357
Item no RSK	2054467
Item no VVS	087608100

Dimensions

Item Unit Height	60
Item Unit Length	67
Item Unit Weight	0,038
Item Unit Width	40
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905232765
Packaging GTIN PL3	06414905271221
Packaging GTIN PL4	06414905273812
Packaging Height PL1	60
Packaging Height PL3	97

Packaging Height PL4	806
Packaging Length PL1	70
Packaging Length PL3	282
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL3	15
Packaging Quantity PL4	1680
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,000168
Packaging Volume PL3	0,005115198
Packaging Volume PL4	0,77376
Packaging Weight PL1	0,048
Packaging Weight PL3	0,82
Packaging Weight PL4	116,84
Packaging Width PL1	40
Packaging Width PL3	187
Packaging Width PL4	800

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com