

## Uponor S-Press valve U-shaped 25

**1089026**

- Made of brass
- Contoured Aluminium-sleeve
- Fast 3-step installation (press without bevel)
- Colour code
- For cold and hot tap water application



### Application information Uponor S-Press valve U-shaped

#### Specification

- with fixed press sleeve
- stop ring
- test safety

#### Application

- Tap water: The permanent operating temperature ranges from 0°C to 70°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 95°C for a period of 100 hours in the operating life time.
- Heating: The permanent operating temperature ranges up to 80°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 100°C for a period of 100 hours in the operating life time.
- if not different mentioned:  
Male and female threads acc.to EN 10226-1.

#### Certification

- Approvals by local OM.  
E.g.
- DVGW
- AENOR

## Uponor S-Press valve U-shaped 25

1089026



### Status

Item Available Till date

2026-12-31T00:00:00.000+0100

### Product code

Item no EAN

6414905212446

Item no GF

35001089026

Item no GTIN

06414905212446

### Dimensions

Item Unit Height

90

Item Unit Length

67.5

Item Unit Weight

0,424

Item Unit Width

103

Item\_UOM

pce

### Measurements

LENGTH\_L

106

Length (I1)

35,5

Length (I2)

50

Length (I3)

35,5

Z Measurement h

91,6

Z Measurement w

74

Z2

19,7

### Packaging

Packaging GTIN PL1

06414905235124

Packaging GTIN PL2

06414905270651

Packaging GTIN PL3

06414905271733

Packaging GTIN PL4

06414905276059

Packaging Height PL1

90

Packaging Height PL2

150

Packaging Height PL3

305

Packaging Height PL4	1160
Packaging Length PL1	150
Packaging Length PL2	120
Packaging Length PL3	265
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	5
Packaging Quantity PL3	30
Packaging Quantity PL4	720
Packaging Type PL1	Plastic_Bag
Packaging Type PL2	Medium_Box
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00243
Packaging Volume PL2	0,00432
Packaging Volume PL3	0,03152175
Packaging Volume PL4	1,1136
Packaging Weight PL1	0,427
Packaging Weight PL2	2,235
Packaging Weight PL3	13,62
Packaging Weight PL4	351,88
Packaging Width PL1	180
Packaging Width PL2	240
Packaging Width PL3	390
Packaging Width PL4	800

## Documents

Page with all documents



### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211  
E  
communications@georgfischer.  
com