

## Uponor S-Press valve straight 25

**1089029**

- Made of brass
- Contoured Aluminium-sleeve
- Fast 3-step installation (press without bevel)
- Colour code
- For cold and hot tap water application



### Application information Uponor S-Press valve straight

#### Specification

- with fixed press sleeve
- stop ring
- test safety

#### Application

- Tap water: The permanent operating temperature ranges from 0°C to 70°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 95°C for a period of 100 hours in the operating life time.
- Heating: The permanent operating temperature ranges up to 80°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 100°C for a period of 100 hours in the operating life time.
- if not different mentioned:  
Male and female threads acc.to EN 10226-1.

#### Certification

- Approvals by local OM.  
E.g.
- DVGW
- AENOR

## Uponor S-Press valve straight 25

1089029



### Status

Item Available Till date

2026-12-31T00:00:00.000+0100

### Product code

Item no EAN

6414905212491

Item no GF

35001089029

Item no GTIN

06414905212491

### Dimensions

Item Unit Height

89

Item Unit Length

102

Item Unit Weight

0,303

Item Unit Width

35

Item\_UOM

pce

### Measurements

Length (l1)

48

Length (l2)

54

Z Measurement h

73

z1

17,7

Z2

23,7

### Technical data

Recycling Text Block PL1

Low density polyethylene

Recycling Text Block PL2

Corrugated fibreboard

Recycling Text Block PL3

Corrugated fibreboard

### Packaging

Packaging GTIN PL1

06414905235155

Packaging GTIN PL2

06414905270682

Packaging GTIN PL3

06414905271764

Packaging GTIN PL4

06414905276080

Packaging Height PL1

89

Packaging Height PL2	95
Packaging Height PL3	320
Packaging Height PL4	1450
Packaging Length PL1	150
Packaging Length PL2	120
Packaging Length PL3	265
Packaging Length PL4	1200
Packaging Material (number) PL1	4
Packaging Material (number) PL2	20
Packaging Material (number) PL3	20
Packaging Material PL1	Low density polyethylene
Packaging Material PL2	Corrugated fibreboard
Packaging Material PL3	Corrugated fibreboard
Packaging Material (short) PL1	LDPE
Packaging Material (short) PL2	PAP
Packaging Material (short) PL3	PAP
Packaging Quantity PL1	1
Packaging Quantity PL2	10
Packaging Quantity PL3	90
Packaging Quantity PL4	2340
Packaging Type PL1	Plastic_Bag
Packaging Type PL2	Medium_Box
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0020025
Packaging Volume PL2	0,002736
Packaging Volume PL3	0,03392
Packaging Volume PL4	1,392
Packaging Weight PL1	0,306
Packaging Weight PL2	3,12
Packaging Weight PL3	28,3
Packaging Weight PL4	760,8
Packaging Width PL1	150
Packaging Width PL2	240
Packaging Width PL3	400
Packaging Width PL4	800

## Documents

Page with all documents



### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

[www.uponor.com](http://www.uponor.com)