


Uponor Vario ball valve, elbow G1-Rp1

1090732

- Made of brass, nickel-plated



Application information Uponor Vario ball valve, elbow

Specification


- Components made of brass, nickel-plated brass, steel, and engineered plastics
- Eurocone, threaded, and flat-sealing connections
- Compatible with Vario B, C, S, M, PLUS, and MAGNA manifolds
- Includes valves, flowmeters, air vents, actuators, and adapters
- Designed for heating and cooling applications

Application

- Completion and extension of Vario manifold installations
- Flow regulation, balancing, and shut-off
- Connection of PEX, MLCP, and composite pipes
- Integration of actuators, sensors, and control units
- Commissioning, maintenance, and system optimization

Uponor Vario ball valve, elbow G1-Rp1

1090732



Measurements

Cylindric_thread_G	1
Female thread Rp	1
Length (l1)	31
Length (l2)	123
Length (l3)	51,5
Outer Diameter_do	33
Z Measurement h	42,5
Z Measurement w	60
z1	22
Z2	93
Z3	32,5

Status

Item Available From date	2025-07-24
--------------------------	------------

Product code

Item no EAN	6414905221387
Item no GF	35001090732
Item no GTIN	06414905221387
Item no LVI	2024329
Item no NRF	8361398

Dimensions

Item Unit Height	60
Item Unit Length	150
Item Unit Weight	0,35
Item Unit Width	100
Item_UOM	set

Packaging

Packaging GTIN PL1	06414905269143
--------------------	----------------

Packaging GTIN PL4	06414905276950
Packaging Height PL1	80
Packaging Height PL4	800
Packaging Length PL1	150
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL4	260
Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0012
Packaging Volume PL4	0,768
Packaging Weight PL1	0,354
Packaging Weight PL4	116,91
Packaging Width PL1	100
Packaging Width PL4	800

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com